REPUBLIC OF VANUATU

THE SALE OF MEDICINES (REGULATION) ORDER No. 25 OF 1988

An Order to regulate the sale of medicines.

IN EXERCISE of the powers conferred by Section 2A of the Joint Sale of Medicines (Prohibition) Regulation No.32 of 1966, as amended, I hereby make the following regulations:-

INTERPRETATION

)

(چ

)

)

1. In these regulations unless the context otherwise requires:

"Child - resistant closure" means:

- (a) a closure which is resistant to opening by children,
- (b) in the case of a can fitted with a pres-on lid, a lid of the design known as "double tight" or "tripple tight",

"dosage unit" means an individual dose of a medicine and includes a tablet, capsule, cachet, single dose powder or single dose sachet of powders or granules

"internal use" means administration:

- (a) orally, except for topical effect in the mouth, or
- (b) for absorption and the production of a systemic effect,
 - (i) by way of a body orifice other than the mouth, or
 - (ii) parenterally, other than by application to unbroken skin.

"medicine" means any substance or preparation which is included in the Schedules to this Order;

"primary pack" means the pack in which a medicine and its immediate container or immediate wrapper or measure pack are presented for sale or supply.

- (a) "immediate container" includes all forms of containers in which a medicine is directly packed but does not include any such container intended for consumption or any immediate wrapper;
- (b) "immediate wrapper" means metal foil, plastic foil, waxed paper, or any such material not intended for consumption, when used as the first wrapper for a dosage unit which contains any medicine;

..2.

an é haireann antisse aor é ân 18 sua mai and the second company and the second s the second of the second of the second

(c) "measure pack means one of two or more sealed containers each of which contains a measured quantity of medicine for use on one occasion as a pesticide and which form part of a single primary pack,

"therapeutic use" means use in or in connection with,

- (a) the preventing, diagnosing, curing or alleviating of a disease, ailment, defect or injury in human beings or animals;
- (b) the influencing, inhibiting or modifying of a physiological process in human beings or animals; or
- (c) the testing of the susceptibility of human beings or animals to a disease or ailment;

"topical use" means application of a medicine for the purpose of producing a localised effect on the surface of the organ or within the issue to which it is applied.

SALE OF MEDICINES

- 2. (1) Any person may sell any of the medicines specified in Schedule 1 héreto.
 - No person, other than a phermacist or a druggist, shall sell any of (2)the medicines specified in Schedule 2 hereto-
 - (3) No person shall sell the medicines specified in Schedule 3 hereto, except upon the prescription of a medical practitioner, dental practitioner or a veterinary surgeon.

NOTICES

- 3. (1) The Principal Pharmacist may issue such notices as he deems fit for the proper carrying out of these regulations.
 - (2) Any notice issued under this regulation shall be published in the Official Gazette.

COMMENCEMENT

This Order shall come into force on the date of its publication in the 4. Gazette.

MADE at Port Vila, this 28th day of June , 1988.

FRED TIMAKATA

Minister of Health and the second second

SCHEDULE 1

ACETIC ACID (excluding its salts and derivatives) and preparations containing more than 80 per cent of acetic acid, for therapeutic use.

ALOXIPRIN

ر

Ŋ.

)

1.3

AMMONIATED MERCURY

ANTAZOLINE in eye drops.

ASPIRIN except:

and (a) when included in Schedule 3, when a life of the second

- (b) in individually wrapped powders or sachets of granules each containing 650 milligrams or less of aspirin as the only therapeutically active constituent when:
 - (i) the pack is labelled with the warning statement:
 - WARNING THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD, or
 - CAUTION THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL; and
 - (ii) in a primary pack containing not more than 12 such powders or sachets of granules, or
- (c) tablets or capsules each containing 325 milligrams or less of aspirin as the only therapeutically active constituent when:
 - (1) the pack is labelled with the warning statement:
 - WARNING THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD: or

CAUTION - THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL; and

- (ii) packed in blister or strip packaging or in containers with a child-resistant closure, and
- (iii) in a primary pack containing not more than 25 such tablets or capsules.

ATROPINE, except atropine methonitrate included in Schedule 3,

- (a) in preparations containing 0.25 per cent or less of atropine, or
- (b) atropine sulphate, 0.6 mg tablets in packs of six, when labelled for treatment of organophosphorus poisoning.

BELLADONNA in preparations containing 0.25 per cent or less of the alkaloids of belladonna, calculated as hyoscyamine.

BENZAMINE when included in:

- (a) lozenges, pastilles, tablets or capsules containing 30mg or less of benzamine in each;
- (b) suppositories or bougies containing 200mg or less of benzamine in each, or
- (c) preparations for external use, other than eyedrops, containing 10 per cent or less of benzamine.

BENZOCAINE when included in:

- (a) lozenges, pastilles, tablets or capsules containing 30mg or less of benzocaine in each;
- (b) suppositories or bougies containing 200mg or less of benzocaine in each, or
- (c) preparations for external use, other than eye drops, containing 10 per cent or less of benzocaine.

BENZOYL PEROXIDE in preparations for external human therapeutic use containing 5 per cent or less benzoyl peroxide.

BENZYDAMINE in preparations for topical use containing 3 per cent or less of benzydamine.

BROMHEXINE

BROMPHENIRAMINE when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine,
 - (b) an expectorant, or
- (c) a sympathomimetic amine,

except in preparations for the treatment of children under 2 years of age.

BUCLIZINE in primary packs of 10 doses or less, for the prevention or treatment of motion sickness.

BUTYLAMINOBENZOATE when included in:

- (a) lozenges, pastilles, tablets or capsules containing 30 mg or less of butylaminobenzoate in each;
- (b) suppositories or bougies containing 200mg or less of butylaminobenzoate in each, or

.../3.

(c) preparations for external use, other than eye drops, containing 10 per cent or less of butylaminobenzoate.

CARBARYL in preparations for external human therapeutic use containing 2 per cent or less of carbaryl.

CARBENOXOLONE for topical oral use.

CARBETAPENTANE except in preparations containing 0.5 per cent or less of carbetapentane.

CHLOROFORM in preparations for therapeutic use except.

(a) when included in Schedule 3, or

(b) in preparations containing 0.5 per cent or less of chloroform.

CHLORPHENIRAMINE when compounded with one or more of the following medicaments:

(a) an antitussive except codeine or dihydrocodeine.

(b) an expectorant, or

(c) a sympathomimetic amine.

except in preparations for the treatment of children under 2 years of age.

CINNAMEDRINE

CLIQUINOL and other halogenated derivatives of 8-Hydroxyquinoline for external human use.

CODEINE

7

0

Ì

)

1

)

Ö

- (a) when compounded with aspirin, paracetamol or salicylamide or any one of their derivatives, in tablets or capsules each containing 10mg or less of codeine, and no other analgesic substance, when:
 - (i) packed in blister or strip packaging or in containers with child-resistant closures, and
 - (ii) in a primary pack containing 25 or less dosage units; or
- (b) when compounded with one or more other therapeutically active substances:
 - (i) in divided preparations containing 10mg or less per dosage unit of codeine and with a reommended dose not exceeding 15mg of codeine, or
 - (ii) in undivided preparations containing 0.25 per cent or less of codelne and with a recommended dose not exceeding 15mg of codelne.

CREOSOTE, for therapeutic use, except in preparations containing 3 per cent or less of phenols included in Schedule 1.

- 4 -

CYANIDES - see hydrocyanic acid.

DDT - see dicophane.

DEXCHLORPHENIRAMINE when compounded with one or more of the following medicaments:

- (a) an antitussive except codeine or dihydrocodeine,
- (b) an expectorant; or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

DEXTROMETHORPHAN when compounded with one or more other therapeutically active substances in such a way that the dextromethorphan contained therein cannot be readily extracted, when

- (a) in divided preparations containing 30mg or less per dosage unit and with a recommended dose not exceeding 30mg of dextromethorphan; or
- (b) in undivided preparations containing 0.3 per cent or less of dextromethorphan with a recommended dose not exceeding 30mg of dextromethorphan.

TRANS-4-((3,5-DIBROMO-2-HYDROXYBENZYL) AMINO) CYCLOHEXANOL HYDROCHLORIDE MONO-HYDRATE (Sputolysin), in oral preparations for the treatment of animals.

DICOPHANE (DDT) in preparations for human therapeutic use.

DICYCLOMINE in preparations containing 0.1 per cent or less of dicyclomine.

DIMENHYDRINATE in primary packs of 10 doses or less, for the prevention or treatment of motion sickness.

DIMETHISOQUIN in preparations for topical use.

DIPHEMANIL METHYLSULPHATE in preparations for topical use.

DIPHENHYDRAMINE

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness, or
- (b) when compounded with one or more of the following medicaments:
 - (i) an anticussive except codeine or dihydrocodeine,
 - (ii) an expectorant, or
 - (iii) a sympathomimetic amine.

except in preparations for the treatment of children under 2 years of age. DIPHENYLPYRALINE when compounded with one or more of the following medicaments:

- 5 -

(a) an antitussive except codeine or dihydrocodeine; and the state of the state of

- (b) an expectorant, or
- (c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age. DOXYLAMINE when compounded with one or more of the following medicaments:

(a) an antitussive except codeine or dhydrocodeine:

- (b) an expectorant; or
- (c) a sympachomimetric amine,

except in preparations for the treatment of children under 2 years of age.

EPHEDRINE for internal use, when compounded with one or more other therapeutically active substances in preparations containing 30mg or less of ephedrine per recommended dose, other than preparations for stimulant, appetite supression or weight control purposes, except in liquid preparations containing 10mg or less of ephedrine per recommended dose.

ERYTHRITYL TETRANITRATE for therapeutic use.

ETAFEDRINE ·

substances:

<u></u>

Э

ETHER for therapeutic use except:

- (a) when included in Schedule 3; or
- (b) in preparations containing 10 per cent or less of ether.

ETHOHEPTAZINE in preparatins containing 1 per cent or less of ethoheptazine. ETHYLMORPHINE, when compounded with one or more other therapeutically active

> (a) in divided preparations containing 10mg or less per dosage unit and with a recommended dose not exceeding 15mg of ethylmorphine;

(b) in undivided preparations containing 0.25 per cent or less of ethylmorphine with a recommended dose not exceeding 15mg of ethylmorphine.

FLUORIDES for human therapeutic use:

 (a) sodium fluoride, in preparations for ingestion containing 2.2mg or less of sodium fluoride per dosage unit, or

(b) in preparations for topical use except:

11

.

(i) in dentifrices containing 1000mg/kg or less of fluoride ion, or

(ii) in substances containing 15mg/kg or less of fluoride ion.

GELSEMIUM

GLUTARALDEHYDE for human therapeutic use.

GLYCERYL TRINITRATE for therapeutic use except when included in Schedule 3. GUAIPHENESIN

- GOATEMENBOIN
 - (a) in liquid preparations containing 2 per cent (200 mg/10ml) or less of guaiphenesin; or
 - (b) in divided preparations containing 120mg or less of guaiphenesin in each dosage unit.

HEXACHLOROPHANE in preparations for human skin cleansing purposes containing 3 per cent or less of hexachlorophane except in preparations for use on infants as specified in Schedule 3.

HOMATROPINE in preparations containing 0.25 per cent or less of homatropine. HUMAN CHORIONIC GONADOTROPHIN OR ANTIBODY in pregnancy test kits.

HORAN CROKIONIC GUNADOIROFHIN OR ANTIBODI IN pregnancy lest arts.

HYDROCYANIC ACID and CYANIDES in preparations for therapeutic use containing the equivalent of 0.15 per cent or less of hydrocyanic acid.

8-HYDROXYQUINOLINE and its non-halogenated derivatives for human therapeutic use, except in preparations for external use containing 1 per cent or less of such substances.

HYOSCINE, except hyoscine butylbromide included in Schedule 3:

(a) in preparations containing 0.25 per cent or less of hyoscine, or

(b) in transdermal applicators containing 2mg or less of hyoscine.

HYOSCYAMINE in preparations containing 0.25 per cent or less of hyoscyamine.

HYOSCYAMUS in preparations containing 0.25 per cent or less of the alkaloids of phyoscyamus calculated as hyoscyamine.

IODINE (excluding its salts, derivatives and iodophors), in prparations for human therapeutic use containing more than 2.5 per cent of available iodine.

IRON COMPOUNDS for human internal use except

- (a) when included in Schedule 3;
- (b) in dividied preparations containing 5 mg or less of iron per dosage unit, or
- (c) in liquid oral preparations containing 0.1 per cent or less of iron.

- 6 -

Ìł:

ISOPROPAMIDE in preparations containing 2 per cent or less of isopropamide for cutaneous use.

ISOSORBIDE DINITRATE for therapeutic use.

LIGNOCAINE when included in:

7

 \rightarrow

ो

•

)

Э

)

- (a) lozenges, pastilles, tablets or capsules containing 30mg or less of lignocaine in each;
- (b) suppositories or bougies containing 200mg or less of lignocaine in each, or
- (c) preparations for external use, other than eye drops, containing 10 per cent or less of lignocaine.

LINDANE in preparations for external human therapeutic use containing 2 per cent or less of lindane.

LOBELIA in preparations containing 0.5 per cent or less of lobeline, except in preparations for smoking or burning.

LUTEINISING HORMONE ANTIBODIES in human ovulation test kits.

MALDISON in preparations for external human therapeutic use containing 2 per cent or less of maldison.

MEBENDAZOLE for human therapeutic use.

MERCURIC CHLORIDE in preparations containing 0.5 per cent or less of mercuric chloride, except when included in a notice.

MERCURIC IODIDE in preparations for therapeutic use containing 2 per cent or less of mercuric iodide.

MERCURIC NITRATE in prepartions for therapeutic use containing 5 per cent or less of mercuric nitrate.

MERCURIC OXIDE and all oxides of mercury.

MERCURIC-POTASSIUM IODIDE in preparations containing the equivalent of 2 per cent or less of mercuric iodide, in such form.

MERCURY (metallic) for therapeutic use.

MERCURY ORGANIC COMPOUNDS for topical therapeutic use in preparations containing 0.5 per cent or less of mercury.

METHOXAMINE except:

- (a) preparations containing 0.5 per cent or less of methoxamine, or
- (b) preparations for external use containing 1 per cent or less of methoxamine.

.../8.

METHOXYPHENAMINE

METHYLEPHEDRINE

NAPHAZOLINE

NICLOSAMIDE for human therapeutic use.

NITRIC ESTERS of polyhydric alcohols for therapeutic use except when separately specified in these Schedules.

NOSCAPINE

OXETHAZAINE in preparations for interal use only.

OXOLAMINE

OXYMETAZOLINE PAPAVERINE

PARACETAMOL except:

- (a) when included in Schedule 3.
- (b) in individually wrapped powders or sachets of granules each containing 1000 milligrams or less of paracetamol as the only therapeutically active constituent when:
 - (i) the pack is labelled with the warning statement:
 - WARNING THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD, or
 - CAUTION THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL, and
 - (ii) in a primary pack containing not more than 12 such powders or sachets of granules, or
- (c) tablets or capsules each containing 500 milligrams or less of paracetamol as the only therapeutically active constituent when:
 - (i) the pack is labelled with the warning statement:

WARNING - THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD, or

CAUTION - THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL, and

(ii) packed in blister or strip packaging or in containers with a child-resistant closure; and (iii)

in a primary pack containing not more than 25 such tablets or capsules.

PHEDRAZINE

PHENAMAZOLINE

PHENAZONE for external use.

PHENIRAMINE

€

)

 \supset

)

)

)

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness, or
- (b) when compounded with one or more of the following medicaments:
 - (i) an antitussive except codeine or dihydrocodeine,
 - (ii) an expectorant, or
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

PHENOL and any homologue of phenol boiling below 220 C, for human therapeutic use, except in prepartions containing 3 per cent or less by weight of such substances.

PHENYLENEDIAMINES and alkylated phenylenediamines for therapeutic use.

PHENYLEPHRINE except:

- (a) when included in Schedule 3,
- (b) preparations containing 0.5 per cent or less of phenylephrine. or
 - (c) preparations for external use containing 1 per cent or less of phenylephrine.

PHOLCODINE, when compounded with one or more other therapeutically active substances:

- (a) in divided prepartions containing 10mg or less of pholodine perdosage unit and with a recommended dose not exceeding 25mg of pholodine, or
- (b) in undivided preparations containing 0.5 per cent or less of pholcodine and with a recommended dose not exceeding 25mg of pholcodine.

PODOPHYLLUM RESIN (podophyllin) for external human use in preparatins containing 10 per cent or less of podophyllin.

.../10.

- 9 -

POTASSIUM CHLORATE for therapeutic use except in preparations containing 10 per cent or less of potassium chlorate.

PRAMOXINE when included in preparations for external use, other than eye drops, containing 1 per cent or less of pramoxine.

PROCYCLIDINE in preparations containing 5 per cent or less of procyclidine for cutaneous use.

PROMETHAZINE

- (a) in primary packs of 10 doses or less, for the prevention or treatment of motion sickness, or
- (b) when compounded with one or more of the following medicaments:
 - (i) an antitussive except codeine or dihydrocodeine;
 - (ii) an expectorance or a
 - (iii) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

PROPANTHELINE in preparations for topical use.

PROPYLHEXEDRINE in appliances for inhalation in which the substance is absorbed upon an inert solid material.

PSEUDOEPHEDRINE except when included in Schedule 3:

- (a) in divided preparations containing 60mg or less of pseudoephedrine per recommended dosage unit, or
- (b) in liquid preparations containing 60mg or less of pseudoephedrine per recommended adult dose.

PYRANTEL for human therapeutic use.

PYRITHIONE ZINC for human therapeutic use, except in preparations containing 2 per cent or less of pyrithione zinc, when:

- (a) in semisolid hair preparations, or
 - (b) in shampoos.

SALICYLAMIDE except:

- (a) when included in Schedule 3,
- (b) in individually wrapped powders or sachets of granules each containing 1 000 milligrams or less of salicylamide as the only therapeutically active constituent when:
 - (i) the pack is labelled with the warning statement:

()

1

}

WARNING - THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD; or

CAUTION - THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL, and

- (ii) in a primary pack containing not more than 12 such powders or sachets of granules; or
- (c) tablets or capsules each containing 500 milligrams or less of salicylamide as the only therapeutically active constituent when:
 - (i) the pack is labelled with the warning statement:

WARNING - THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD, or

CAUTION - THIS PREPARATION IS FOR THE RELIEF OF MINOR AND TEMPORARY AILMENTS AND SHOULD BE USED STRICTLY AS DIRECTED. PROLONGED USE WITHOUT MEDICAL SUPERVISION COULD BE HARMFUL: and

- (ii) packed in blister or strip packaging or in containers with a child-resistant closure, and
- (iii) in a primary pack containing not more than 25 such tablets or capsules.

SILVER SALTS for therapeutic use, except

- (a) chewing tablets containing 5mg or less of silver per tablet; or
- (b) solutions containing 0.3 per cent or less of silver.

SODIUM NITRITE for therapeutic use.

SPUTOLYSIN - See trans -4- ((3,5-dibromo-2-hydroxybenzyl)-amino) cyclohexanol hydrochloride monohydrate.

STAPHISAGRIA except in preparations containing 0.2 per cent or less of staphisagria.

STRAMONIUM in preparations containing 0.25 per cent or less of the alkaloids calculated as hyoscyamine, except preparations for smoking or burning.

TETRAHYDROZOLINE

THENYLDIAMINE

-)

)

)

)

- (a) in nasal preparations for topical use; or
- (b) when compounded with one or more of the following medicaments:
 - (i) an antitussive except code ine or dihydrocode ine,
 - (ii) an expectorant, or
 - (iii) a sympathomimetric amine,

except in preparations for the treatment of children under 2 years of age.

TRAMAZOLINE

TRIMEPRAZINE when compounded with one or more of the following medicaments:

(a) an antitussive except code ine or dihydrocode ine,

(b) an expectorant or

(c) a sympathomimetic amine,

except in preparations for the treatment of children under 2 years of age.

TRIPROLIDINE when compounded with one or more of the following medicaments:

(a) an antitussive except codeine or dihydrocodeine,

(b) an expectorant, or

(c) a sympathomimetic amine;

except in preparations for the treatment of children under 2 years of age.

TYMAZOLINE

XYLOMETAZOLINE

ACEPIFYLLINE in liquid oral preparations.

ADRENALINE in preparations containing 1 per cent or less of adrenaline except in preparations containing 0.02 per cent or less of adrenaline.

AMINOPHYLLINE in liquid oral preparations.

AMYL NITRITE

(X ,

7

)

")

ി

)

)

٢

BENZOYL PEROXIDE in preparations containing 10 per cent or less of benzoyl peroxide for external human therapeutic use, except when included in Schedule 1.

BROMPHENIRAMINE in oral preparations except when included in Schedule 1.

BUCLIZINE in oral preparations except when included in Schedule 1.

BUTYL NITRITE

CNLORAL HYDRATE for human internal therapeutic use in preparations containing 5 per cent or less of chloral hydrate, when packed in containers of 100 ml or less.

CHLOROFLUOROCARBONS - see FLUOROCARBONS

CELORPHENIRAMINE in oral preparations except when included in Schedule 1.

CLEMASTINE in oral preparations.

CLOTRIMAZOLE, for human use in preparations containing 1 per cent or less of clotrimazole, for treatment of fungal infections of the skin.

CODEINE in tablets or capsules each containing 10mg or less of codeine when compounded with aspirin, paracetamol or salicylamide or any one of their derivatives and no other analgesic substance, except when included in Schedule 1.

CYPROHEPTADINE in oral preparations.

DEXCHLORPHENIRAMINE in oral preparations except when included in Schedule 1.

DIHYDROCODEINE, when compounded with one or more other therapeutically active substances when:

- (a) in divided preparations containing 10 mg or less per dosage unit and with a recommended dose not exceeding 15mg of dihydrocodeine; or
- (b) in undivided preparations containing 0.25 per cent or less of dihydrocodeine with a recommended dose not exceeding 15mg of dihydrocodeine.

.../2.

DIMENHYDRINATE in oral preparations except when included in Schedule 1.

- 2 -

DIMETHINDENE in oral preparations.

DIPHENHYDRAMINE in oral preparations except when included in Schedule 1.

DIPHENYLPYRALINE in oral preparations except when included in Schedule 1.

DITHRANOL for human therapeutic use.

DOXYLAMINE in oral preparations except when included in Schedule 1.

ECONAZOLE for human use in preparations containing 1 per cent or less of econazole for treatment of fungal infections of the skin.

EPHEDRINE for internal use when compounded with one or more other therapeutically active substances, other than preparations for stimulant, appetite supression or weight control purposes, except:

- (a) when included in Schedule 1, or
- (b) in liquid preparations containing 10mg or less of ephedrine per recommended dose.

FENOTEROL in metered aerosols delivering 200 micrograms or less of fenoterol per metered dose.

FLAVOXATE

FLUOROCARBONS and CHLOROFLUOROCARBONS alone or in combination with other propelants or refrigerants in liquified gas form for therapeutic use.

FOLIC ACID for human therapeutic use except in preparations containing 500 micrograms or less of folic acid per recommended daily dose.

FOLINIC ACID for human therapeutic use except in preparations containing 500 micrograms or less of folinic acid per recommended daily dose.

FOLINIC ACID for human therapeutic use except in preparations containing 500 micrograms or less of folinic acid per recommended daily dose.

HYDROCORTISONE and HYDROCORTISONE ACETATE as the only therapeutically active substances in preparations for dermal use containing 0.5 per cent or less of hydrocortisone in packs containing 30 grams or less where the labelling warns against contact with the eyes and against use for acne and on children below 2 years of age, use beyond 7 days, and use under occlusive dressings, except on medical advice.

IDOXURIDINE in preparations containing 0.5 per cent or less of idoxuridine for cutaneous use.

INSULIN

ISOCONAZOLE for human use in preparations containing 1 per cent or less of isoconazole, for treatment of fungal infections of the skin.

, #

LOPERAMIDE in packs of 8 dosage units or less, each dosage unit containing 2mg or less of loperamide.

MEFENAMIC ACID in packs of 30 or less capsules for treatment of spasmodic dysmenorrhoea.

MEPYRAMINE in oral preparations.

METHDILAZINE in oral preparations.

MICONAZOLE for human use in preparations containing 2 per cent or les of miconazole for treatment of fungal infections of the skin.

NAPROXEN in packs of 12 or less tablets for capsules, for treatment of spasmodic dysmenorrhoea.

NITROPFURAZONE in preparation for cutaneous use containing 0.2 per cent or less of nitrofurazone.

OCTYL NITRITE

lat,

Э

Э

Ĵ

)

Ì

)

)

)

PHENIRAMINE in oral preparatins except when included in Schedule 1.

PHENYLPROPANOLAMINE in preparations for relief of coughs or colds, containing 25 mg or less per dose of phenylpropanolamine.

PHENYLTOLOXAMINE in oral preparations.

PODOPHYLLUM RESIN (Podophyllin) for external human use in preparations containing 20 per cent or less of podophyllin except when included in Schedule 1.

PROMETHAZINE in oral preparations except when included in Schedule 1.

PSEUDOEPHEDRINE except when included in Schedule 1 or 3.

QUININE for human internal therapeutic use except in liquids containing 40mg/L or less of quinine.

SALBUTAMOL

- (a) in metered aerosols delivering 100 micrograms or less of salbutamol per metered dose, or
- (b) in capsules of dry powder for inhalation delivering -200 micrograms or less of salbutamol per dose.

SANTONIN

SODIUM CROMOGLYCATE in nasal preparations for topical use.

TERBUTALINE in metered aerosols delivering 250 micrograms or less of terbutaline per metered dose.

.../4

THENYLDIAMINE in oral preparations except when included in Schedule 1.

THEOPHYLLINE in liquid oral preparations.

TIOCONAZOLE for human use in prparations containing 1 per cent or less of tioconazole, for treatment of fungal infections of the skin.

TRETINOIN for external human therapeutic use.

TRIMEPRAZINE

- (a) in solid oral preparations, or
- (b) in liquid oral preparations containing 10mg or less of trimeprazine per 5ml;

except when included in Schedule 1.

TRIPROLIDINE in oral preparations except when included in Schedudle 1.

SCHEDULE 3

(Substances marked + are listed in the Notice)

ACEBUTOLOL

٦

٦,

7

=)

)

ACEPIFYLLINE except when included in Schedule 2.

ACEPROMAZINE

ACETANILIDE and alkyl accountlides, for human therapeutic use.

ACETAZOLAMIDE

ACETOHEXAMIDE

ACETYLCHOLINE and other choline esters except when separately specified in this Schedule.

ACETYLCYSTEINE

ACETYLDIHYDROCODEINE, when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100mg of acetyldihydrocodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of acetyldihydrocodeine.

ACETYLMETHYLDIMETHYLOXIMIDOPHENYLHYDRAZINE

ACYCLOVIR

ADIPHENINE

ADRENALINE except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 0.02 per cent or less of adrenaline.

ALCURONIUM

alpha-CHLORALOSE - See chloralose

ALPHADOLONE

ALPHAXALONE

ALPRAZOLAM

ALPRENOLOL

ALPROSTADIL

AMANTADINE

AMBENONIUM

AMBUCETAMIDE

AMBUTONIUM

AMETHOCAINE

AMIKACIN

AMILORIDE

AMINOCAPROIC AC1D

AMINOGLUTETHIMIDE

AMINOMETRADINE

AMINOPHENAZONE and derivatives therefrom for the treatments of animals.

AMINOPHYLLINE except when included in Schedule 2.

AMINOPTERIN

AMINOREX

AMIODARONE

AMIPHENAZOLE

AMISOMETRADINE

AMITRIPTYLINE and other compounds structurally derived therefrom by substitution in the side chain except when separately specified in this Schedule.

AMODIAQUINE

AMOXYCILLIN

AMPHOMYCIN

AMPHOTERICIN

AMPICILLIN

AMSACRINE

AMYLOBARBITONE when packed and labelled for injection.

AMYLOCAINE

ANABOLIC STEROIDAL AGENTS except when separately specified in this Schedule.

.../3.

ANGIOTENSINAMIDE

ANTAZOLINE except when included in Schedule 1.

+ANTIBIOTICS except:

- (a) when separately specified in these Schedules.
- (b) avoparcin when packed and labelled for use as an animal feed additive, or
- (c) nisin.

ANTIHISTAMINES

7

)

3

ð

)

)

)

Ŋ

- (a) when included in Schedule 1 or 2, or
- (b) when separately specified in this Schedule.

ANTIMALARIAL SUBSTANCES except when separately specified in this Schedule. ANTIMONY, organic compounds of, for therapeutic use.

ANTITUBERCULAR SUBSTANCES including isoniazid and its derivatives, paraaminosalicyclic acid and thiacetazone except when separately specified in these Schedules.

APOMORPHINE

APROT1N1N

ARSENIC - see THIACETARSAMIDE

ASPIRIN when combined with caffeine paracetamol or salicylamide or any derivative of these substances.

and the second second

ATENOLOL

ATROPINE METHONITRATE

AURANOFIN

AZAPERONE

AZAPETINE

AZATADINE

and the second second

AZLOCILLIN

AZTREONAM

BACAMPICILLIN

BACITRACIN except:

- (a) when specified in the Notice.
- (b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic substances, or

and the second second

(c) in milk replacers for calves and starter rations for pigs, containing 100mg/kg or less of antibiotic substances.

BACLOFEN

BAMIPINE

- 3 -

BARBITURIC ACID and its derivatives except:

(a) when included or separately specified in the Notice: or

- 4 -

(b) when separately specified in this Schedule.

BECLAMIDE

BEMEGRIDE

BENACTYZINE and other substances structurally derived from diphenylmethane with ataractic properties when used for therapeutic purposes.

BENDROFLUAZIDE

BENORYLATE

BENSERAZIDE

BENZAMINE, except when included in Schedule 1.

BENZHEXOL

BENZILONIUM

BENZOCAINE, except when included in Schedule 1.

DENZODIAZEPINE derivatives except when separately specified in these Schedules.

BENZOYL PEROXIDE in preparations for external human therapeutic use, except when included in Schedule 1 or 2.

BENZPHETAMINE and other substances structurally derived from beta-aminopropylcenzene or beta-aminoisopropylbenzene by substitution in the side-chain or by cing-closure therein (or by both such substitution and such closure) except:

- (a) where separately specified in this or any other Schedule; or
- (b) ephedrine and pseudoephedrine in preparations exempted from Schedule 1.

BENZTROPINE

BENZYDAMINE except when included in Schedule 1.

BENZYLPENICILLIN (including procaine penicillin) except when specified in the Notice.

BETAHISTINE

BETHANIDINE

BIFONAZOLE

BIPERIDEN

BISMUTH compounds of, for human therapeutic or cosmecic use, except:

- (a) bismuth citrate when incorporated in hair colourant preparations in concentrations of 0.5 per cent or less;
- (b) bismuth oxychloride in cosmetics, or
- (c) bismuth formic iodide or bismuth subiodide in dusting powders containing 3 per cent or less of bismuth.

BLEOMYCIN

)

 \rightarrow

ð

)

)

)

)

BORON for human therapeutic use -

- (a) for internal use
- (b) in glycerines or honeys of borax or boric acid.
- (c) in dusting powders for paediatric use; or
- (d) as a cherapeutically active ingredient in other preparations for dermal use except:
 - (i) in antifungal preparations, or
 - (ii) in preparations containing 0.1 per cent or less of boron.

BRETYLIUM

BROMAZEPAM

BROMIDES, inorganic, for therapeutic use.

BROMOCRIPTINE

BROMOFORM for therapeutic use.

BROMPHENIRAMINE except when included in Schedule 1 or 2.

BROMVALETONE

BUCLIZINE except when included in Schedule 1 or 2.

BUFEXAMAC except in preparations containing 5 per cent or less of bufexamac for external human therapeutic use, including suppositories.

BUMETANIDE

BUPIVACAINE

+ BUPRENORPHINE

BUSPIRONE

BUSULPHAN

BUTACAINE

BUTYLAMINOBENZOATE except when included in Schedule 1.

BUTYLCHLORAL HYDRATE

CALCITONIN

CALCITRIOL

CALCIUM CARBIMIDE for therapeutic use.

CAMPHORATED OIL excluding admixtures.

CAMPHOTAMIDE

CANDICIDIN

CANINE TICK ANTI-SERUM

CANTHARIDIN

CAPREOMYCIN

CAPTODIAME

CAPTOPRIL

CAPURIDE

CARAMIPHEN

CARBACHOL

CARBAMAZEPINE

CARBARYL for human therapeutic use except when included in Schedule 1.

CARBAZOCHROME

CARBENICILLIN

CARBENOXOLONE except when included in Schedule 1.

CARBIDOPA

CARBIMAZOLE

CARBOCROMEN

CARBOPLATIN

CARBROMAL

CARDIAC GLYCOSIDES except when separately specified in these Schedules.

CARINDACILLIN

CARMUSTINE

+CARNIDAZOLE

CEFACLOR

CEFOPERAZONE

CEFOTAXIME

CEFOTETAN

Э

€

)

1

CEFOXITIN

CEFTAZIDIME

CEFTRIAXONE

CEPHACETRILE

CEPHADROXIL, for the treatment of animals.

CEPHALEXIN

CEPHALORIDINE

CEPHALOTHIN

CEPHAMANDOLE

CEPHAPIRIN

CEPHAZOLIN

CEPHRADINE

CHENODEOXYCHOLIC ACID

CHLORAL FORMAMIDE

CHLORAL HYDRATE except:

(a) when included in Schedule 2; or

(b) in preparations for topical use containing 2 per cent or less of chloral hydrate.

CHLORALOSE except when specified in the Notice.

+CHLORAMPHENICOL

CHLORAZANIL

CHLORBUTOL in preparations for human oral use, except in preparations containing 0.5 per cent or less of chlorbutol as a preservative.

CHLORCYCLIZINE

CHLORDIAZEPOXIDE

CHLORMERODRIN

CHLORMETHIAZOLE

CHLORMEZANONE

CELOROFORM for use in anaesthesia.

2-(4-CHLOROPHENYL)-1,2,4-TRIAZOLE [5,1a]-ISOQUINOLINE for the treatment of snimals.

CHLOROQUINE

CHLOROTHIAZIDE

CHLORPHENIRAMINE except when included in Schedule 1 or 2.

CHLORPHENTERMINE

CHLORPROMAZINE

CHLORPROPAMIDE

CHLORTETRACYCLINE except when specified in the Notice

CHLORTHALIDONE

CHLORZOXAZONE

CHOLESTYRAMINE for human therapeutic use.

CHYMOPAPAIN, injection for human therapeutic use.

CICLACILLIN

CILASTATIN

CIMETIDINE

CINCHOCAINE

CINOXACIN

CISPLATIN

CLANOBUTIN, in injections for the treatment of animals.

CLAVULANIC ACID

CLEMASTINE except when included in Schedule 2.

CLEMIZOLE

+ CLENBUTEROL

CLIDINIUM

CLINDAMYCIN

CLOBAZAM

CLOBETASONE - 17 - BUTYRATE

CLOFENAMIDE

CLOFIBRATE

+CLOMIPHENE

CLOMIPRAMINE

€

)

1

)

)

1

CLOMOCYCLINE

CLONAZEPAM

CLONIDINE

CLOPAMIDE

+ CLOPROSTENOL

CLORAZEPATE

CLOREXOLONE

CLORPRENALINE

CLOTRIMAZOLE, except when included in Schedule 2 or in the Notice.

CLOXACILLIN

CLOZAPINE

CODEINE, except when included in Schedule 1 or 2, when compounded with one or more other therapeutically active substances:

- (a) in divided preparations containing 30mg or less of codeine per dosage unit; or
- (b) in undivided preparations containing 1 per cent or less of codeine.

.../10.

COLASPASE

COLCHICINE

COLESTIPOL for human therapeutic use.

COLISTIN

CORTISONE and sceroid suprarenal cortical hormones, except hydrocortisone in Schedule 2.

CURARE, TUBOCURARINE, d-TUBOCURARINE, d-TUBOCURARINEDIMETHYLETHER and all synthetic quaternary ammonium compounds and other compounds having curarising properties except when separately specified in this Schedule.

CYCLANDELATE

CYCLIZINE

+CYCLOFENIL

CYCLOPENTOLATE

CYCLOPROPANE for therapeutic use.

CYCLOSERINE

CYCLOSPORIN

CYCRIMINE

CYPROHEPTADINE except when included in Schedule 2.

DACARBAZINE

DANAZOL

DANTROLENE

DAPSONE and all derivatives of 4,4-diaminodiphenylsulphone.

DEANOL

DEBRISOQUINE

DEMECARIUM BROMIDE

DEMECLOCYCLINE

DESIPRAMINE

DESMOPRESSIN (D.D.A.V.P.)

+ DETOMIDINE

DEXCHLORPHENIRAMINE except when included in Schedule 1 or 2.

DEXTROMETHORPHAN except when included in Schedule 1.

+ DEXTROPROPOXYPHENE

- (a) in divided preparations containing 135mg of dextropropoxyphene or less per dosage unit, or
- (b) liquid preparations containing 2.5 per cent or less of dextropropoxyphene.

DEXTRORPHAN

DIAZEPAM

DIBENZEPIN

Ð

)

)

TRANS-4-((3,5-DIBROMO-2-HYDROXYBENZYL)-AMINO) CYCLOHEXANOL HYDROCHLORIDE MONOHY-DRATE (Sputolysin) except when in Schedule 1.

DICHLORALPHENAZONE

DICHLORPHENAMIDE

DICLOFENAC

DICYCLOMINE except when included in Schedule 1.

DIETHAZINE

DIETHYLCARBAMAZINE for human therapeutic use.

DIETHYLPROPION

DIFENOXIN in preparations containing, per dosage unit, 0.5mg or less of difenoxin and a quantity of atropine sulphate equivalent to at least 5 per cent of the dose of difenoxin.

DIFLUNISAL

DIGITALIS and its glycosides.

DIHYDRALAZINE

DIHYDROCODEINE when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100mg of dihydrocodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than
 2.5 per cent of dihydrocodeine,

except when included in Schedule 1.

DIHYDROSTREPTOMYCIN except when specified in the Notice.

DIISOPROPYLAMINE DICHLOROACETATE

DILTIAZEM

DIMENHYDRINATE except when included in Schedule 1 or 2.

DIMETHINDENE except when included in Schedule 2.

DIMETHISOQUIN except when included in Schedule 1.

DIMETHOXANATE

DIMETHYL SULPHOXIDE for therapeutic use except when specified in the Notice.

DINITROCRESOLS for therapeutic use.

DINITRONAPHTHOLS for therapeutic use.

DINITROPHENOLS for therapeutic use.

DINITROTHYMOLS for therapeutic use.

+ DINOPROST

DIPERODON

DIPHEMANIL METHYLSULPHATE except when included in Schedule 1.

DIPHENHYDRAMINE except when included in Schedule 1 or 2.

DIPHENIDOL

DIPHENOXYLATE in preparations containing per dosage unit 2.5mg or less of diphenoxylate and a quantity of atropine sulphate equivalent to at least 1 per cent of the dose of diphenoxylate.

DIPHENYLPYRALINE except when included in Schedule 1 or 2.

DIPIVEFRIN

DIPYRIDAMOLE

DISOPHENOL

DISPYRAMIDE

DISULFIRAM for therapeutic use.

DITHIAZANINE except when specified in the Notice.

DOBUTAMINE

DOMPERIDONE

DOPAMINE

DOTHIEPIN

DOXAPRAM

DOXEPIN

7

÷

Ì

)

)

DOXORUBICIN

DOXYCYCLINE

DOXYLAMINE except when included in Schedule 1 or 2.

DROPERIDOL

DROSTANOLONE

ECONAZOLE except when included in Schedule 2 or in the Notice.

EDETIC ACID for human therapeutic use in preparations for injection or infusion.

EMETINE except in preparations containing 0.2 per cent or less of emetine.

ENALAPRIL

المعطوم المحمد المح المحمد EPHEDRINE except:

(a) when included in Schedule 1 or 2,

- (b) in preparations for topical use containing 1 per cent or less of ephedrine, or
- (c) when compounded with one or more other therapeutically active substances in liquid preparations for internal use containing 10mg or less of ephedrine per recommended dose, other than preparations for stimulant, appetite suppression or weight control purposes.

ENFLURANE for therapeutic use.

EPICILLIN

EPIRUBICIN

ERGOT

ERYTHROMYCIN except:

- (a) when specified in the Notice,
- (b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic substances; or
- (c) in milk replacers for calves or starter rations for pigs, containing 100mg/kg or less of antibioLic substances.

ETHACRYNIC ACID

E THAMBUTOL

ETHAMIVAN

E THCHLORVYNOL

ETHER for use in anaesthesia.

ETHINAMATE

ETHOGLUCID

ETHOHEPTAZINE except when included in Schedule 1.

ETHOPROPAZINE

E THOXZOLAMI DE

ETHYL CHLORIDE for inhalation anaesthesia.

ETHYLMORPHINE when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100mg of ethylmorphine per dosage unit, or
- (b) in undivided preparations with a concentration of not more than
 2.5 per cent of ethylmorphine;

except when included in Schedule 1.

E THYLOESTRENOL

ETIDOCAINE

ETIDRONATE except in tooth pastes and gels containing 1 per cent or less of etidronate.

ETILEFRIN HYDROCHLORIDE

ETOPOSIDE

+ETRETINATE

FELYPRESSIN

FENCAMFAMIN

FENFLURAMINE

FENOPROFEN

FENOTEROL except when included in Schedule 2.

FENPIPRAMIDE

FENPIPRANE

+ FENPROSTALENE

FLAVOPHOSPHOLIPOL except:

(a) when specified in the Notice, or

(b) in animal feeds for growth pronotion containing 50mg/kg or less of antibiotic substances.

FLECAINIDE

FLUCLOXACILLIN

FLUCYTOSINE

FLUFENAMIC ACID

FLUNISOLIDE

٢

)

٦)

Э

- '}

)

FLUNITRAZEPAM

FLUNIXIN MEGLUMINE for the treatment of animals.

FLUORIDES in preparations for human ingestion except when included in Schedule 1.

FLUOROURACIL and other substances structurally derived from uracil with cytotoxic properties when used for therapeutic purposes.

FLUOXYMESTERONE

FLUPHENAZINE

+FLUPROSTENOL

FLURAZEPAM

FLUROXENE for inhalation anaesthesia

FLUSPIRILENE

+FOLLICLE STIMULATING HORMONE (See also gonadotrophins)

FRAMYCETIN

FRUSEMIDE

FUSIDIC ACID

GALANTHAMINE

GALLAMINE

GEMEPROST

GENTAMCIN

a de la presenta

GLIBORNURIDE

GLICLAZIDE

GLUCAGON

+GLUTETHIMIDE

GLYCERYL TRINITRATE in preparations for injection.

GLYCOPYRROLATE

GLYMIDINE

GONADORELIN

GONADOTROPHINS except when included in Schedule 1.

GRAMICIDIN

GRISEOFULVIN

GROWTH HORMONE

GUAIPHENESIN except when included in Schedule 1.

GUANABENZ

GUANACLINE

GUANETHIDINE

HALCINONIDE

HALOPERIDOL and other substances structurally derived from butyrophenone with ataractic properties when used for therapeutic purposes, except when separately specified in this Schedule.

HALOTHANE for therapeutic use.

HEPARIN for internal therapeutic use.

HETACILLIN

HEXACHLOROPHANE

- (a) in preparations for use on infants, or
- (b) in other preparations except when included in Schedule 1 or specified in the Notice.

HEXAMETHONIUM

HEXOCYCLIUM

HYALURONIC ACID in preparations for injection.

HYDRALAZINE

1.1.1.1.1.1

٦

٦.

Ð

)

1

)

HYDROFLUMETHIAZIDE

HYDROQUINONE for human therapeutic use except in preparations containing 2 per cent or less of hydroquinone.

HYDROXYCHLOROQUINE

1-HYDROXYPYRIDO (3,2,a)-5-PHENOXAZONE-3-CARBOXYLIC ACID

HYDROXYUREA

HYDROXYZINE

HYGROMYCIN except:

(a) when specified in the Notice, or

(b) in preparations in concentrations of 50mg/kg or less of antibiotic substances.

HYOSCINE BUTYLBROMIDE

HYPOTHALAMIC RELEASING FACTORS except when separately specified in this Schedule.

I BUFENAC

I BUPROFEN

IDOXURIDINE except when included in Schedule 2.

IMIPENEM

IMIPRAMINE

INDAPAMIDE

INDOMETHACIN

INOSITOL NICOTINATE, for internal use.

ION-EXCHANGE RESINS, anionic and cationic, for interal use in humans except when separately specified in this Schedule.

IOPAMIDOL

. ¹

and the second

the alternation

1999 - A.

51

.../18.

I PRATROPIUM IRON compounds in injectable preparations for human therapeutic use. A CONTRACTOR AND A STREET **I SOAMINILE** ISOCONAZOLE except when included in Schedule 2 or specified in the Notice. I SOETHARINE فالمراجع والمتحج والمتحج والمحر والمحاد والمحاد والمحاد والمحاد I SOFLURANE I SOMETHEPTENE **I SOPRENALINE** (b) the set of a s ISOPROPAMIDE except when included in Schedule 1. and the second second + ISOTRETINOIN I SOXUPRINE KANAMYCIN KETAMINE THE REAL PROVIDED THE REAL PROPERTY OF THE REAL PROPERTY. KETOCONAZOLE 1991 - All March 1997 - L KETOPROFEN KHELLIN "你们的你们,你们们的你们,你们们的你们,我们就是你们的你们,你都是我们的?""你们,你们不能不能。" KITASAMYCIN except: (a) when specified in the Notice; or (b) in anima feeds for growth promotion containing 100mg/kg or less of antibiotic substances. LABETALOL LATAMOXEF LAUDEXIUM METHYLSULPHATE LEAD COMPOUNDS for human therapeutic use. Providence and the LEFETAMINE

LEPTAZOL STATES AND A SAME AND A SAME AND A SAME AND A SAME AND AND AND AND AND A SAME AND A SAME AND A SAME AND

LEUPRORELIN

LEVALLORPHAN

.../19.

LEVAMISOLE

(a) for human therapeutic use, or

(b) in preparations for the prevention or treatment of heartworm in dogs.

LEVODOPA

L IDOFLAZINE

LIGNOCAINE except when included in Schedule 1.

LINCOMYCIN

LINDANE for human therapeutic use except when included in Schedule 1.5%LIOTHYRONINE SODIUM (Triiodothyronine).

A STATE AND AND STATE

LITHIUM salts for therapeutic use, except in preparations containing 0.01 per cent or less of litnium.

LOPERAMIDE except when included in Schedule 2.

LORAZEPAM

LOXAPINE

+LUTEINISING HORMONE (See also gonadotrophins).

LYMECYCLINE

MAFENIDE

MALDISON for human cherapeutic use except when included in Schedule 1. Sector Sector ABS

MAPROTILINE

MAZINDOL

-)

١

).

MEBEVERINE

MEBHYDROLIN

MECAMYLAMINE

MECLOFENOXATE

MECLOZINE

MEDAZEPAM

MEFENAMIC ACID except when incuded in Schedule 2.

MEFLOOUINE

.../20.

- ALT -

el la penedativa filitati

 $= \{ f_{i} \}_{i \in I}$

그는 그는 여행 가슴을 다.

19 J. 19 1

and the second

1.12

. . . .

MEFRUSIDE

MEPACRINE

MEPENZOLATE

MEPHENESIN and its derivatives except gualphenesin where specified in Schedule 1 or 3.

and the second

. .

a and a second secon

and the state of the

لأجهد والمراجع الموق الكاريات

MEPHENTERMINE

MEPIVACAINE

MEPROBAMATE

MEPYRAMINE except when included in Schedule 2.

MERCAPTOPURINE and other substances structurally derived therefrom with cytotoxic properties when used for therapeutic purposes.

A. B. G. Martin and M. Barris, "An employed strategy of the second strategy of the secon

We have a second s

2000 A. A. A.

and the second second second second second

MERCUROUS CHLORIDE for internal therapeutic use.

MERCURY ORGANIC COMPOUNDS for therapeutic use, except when included in Schedule 1.

a second a strange

METARAMINOL

METFORMIN

METHACYCLINE

METHANDLENONE

METHANDR10L

METHANTHELINIUM

State of the second second

METHAZOLAMIDE

METHDILAZINE except when included in Schedule 2.

18 + 1 - 1 + 1

METHENOLONE

METHICILLIN

METHIMAZOLE

METHIXENE

METHOCARBAMOL

METHOTREXATE

METHOXSALEN

METHOXYFLURANE for therapeutic use.

METHYLANDROSTANOLONE

METHYCLOTH1AZ1DE

)

 \ni

)

)

)

)

)

9

METHYLDOPA	
METHYLPENTYNOL and other substituted alkynes for internal use.	
METHYPRYLONE	
METOCLOPRAMIDE	
1 , where 1 is the second second second $\frac{1}{2}$ is the second second second second $\frac{1}{2}$. The second s	
METOLAZONE	·
METOPROLOL	
METRIZAMIDE	144 1
METRONIDAZOLE including benzoylmetronidazole	e ta co
METYRAPONE	an a
MEXILETINE	
MEZLOCILLIN	
MIANSERIN	a Magalan Wa Mara
MIBOLERONE	N
MICONAZOLE, except when included in Schedule 2 or in the Notice	2.
MIDAZOLAM	
MINOCYCLINE	
MINOXIDIL	н 1. с. с.
MISOPROSTOL	
MITHRAMYCIN	
MITOBRONITOL Production of the state of the	Ben Maria
MITOMYCIN	
MITOZANTRONE	
MONENSIN except:	
(a) when specified in the Notice, or and	

(b) in animal feeds containing 33mg/kg or less of antibiotic substances.

MONOAMINE OXIDASE INHIBITORS, including iproniazid, isocarboxazid, nialamide, phenelzine, pheniprazine and other preparations for which monoamine oxidase inhibition is claimed, except triparanol.

MUPIROCIN MUSTINE and other substances structurally derived therefrom with cytotoxic properties, when used for therapeutic purposes except when specified in this Schedule. NADOLOL 法法法法 机干燥 +NALBUPHINE NALIDIXIC ACID except when specified in the Notice, and the matter state of the second NALORPHINE NALOXONE NANDROLONE NAPROXEN except when included in Schedule 2. ur texplet NARASIN except: (a) when specified in the Notice, or (b) in animal feeds containing 100mg/kg or less of narasin. NATAMYCIN the second star NEOMYCIN except when specified in the Notice. NEOSTIGMINE

NETILMICIN

cent or less of monobenzone.

MOPERONE

NICOCODINE when compounded with one or more other medicaments and other and

- (a) in divided preparations containing not more than 100mg of nicocodine per dosage unit, or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of nicocodine.

NICODICODINE when compounded lwith one or more other medicaments:

(a) in divided preparations containing not more than 100mg of nicodicodine per dosage unit, or

the second second (b) in undivided preparations with a concentration of not more than the second sec

MONOBENZONE for human therapeutic use except in preparations containing 2 per

.../23.

30

54

.../24.

NICOTINIC ACID for human therapeutic use except in preparations containing 250mg or less of nicotinic acid per recommended daily dose.

NICOTINYL ALCOHOL for internal use.

NICOUMALONE for interal therapeutic use.

n en statu de la segura de la se NIFEDIPINE

NIFENAZONE

NIKETHAMIDE

NIRIDAZOLE

NITRAZEPAM

Ð

)

NITROFURAN and its derivatives for human therapeutic use except when included in Schedule 2.

NITROUS OXIDE for therapeutic use.

NOMIFENSINE

NORADRENALINE (excluding its derivatives)

NORCODEINE when compounded with one or more other medicaments:

23 -

- (a) in divided preparations containing not more than 100mg of norcodeine per dosage unit, or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of norcodeine,

except when included in Schedule 1.

NORETHANDROLONE

NORFLOXACIN

NORTRIPTYLINE

NOVOBIOCIN except when specified in the Notice.

NYSTATIN

OCTAMYLAMINE

OCTATROPINE

OLEANDOMYCIN except:

计算机 化合理合金

(a) when specified in the Notice, or

(b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic substances.

1.1.

1.1

an an tao 11 a

a strategication

OFIFRAMOL

ORCIPRENALINE

ORGANOPHOSPHORUS COMPOUNDS with anticholinesterase activity for human therapeutic use except:

(a) when included in Schedule 1; or

(b) when separately specified in this Schedule.

ORNIDAZOLE

ORNIPRESSIN

ORPHENADRINE

ORTHOCAINE

ORTHOPTERIN

OXACILLIN

OXANDROLONE

OXAZEPAM

OXPRENOLOL

OXYBUPROCAINE of the part of the second sec Second sec

OXYMETHOLONE

OXPENTIFYLLINE

GXYPHENBUTAZONE

OXYPHENCYCLIMINE

OXYPHENONIUM

OXYTETRACYCLINE except when specified in the Notice.

OXYTOCIN

PAMAQUINE

PANCURONIUM

PARACETAMOL when combined with aspirin, caffeine or salicylamide or any derivative of these substances.

.../25.

PARALBEHYDE

PAROMOMYCIN

PEMOLINE

G

)

-)

)

PEMPIDINE

d-PENICILLAMINE

PENTAMETHONIUM

PENTHIENATE

PENTOBARBITONE when packed and labelled for injection.

PENTOLINIUM

PERHEXILENE

PERICYAZINE

PERPHENAZINE

PHENACETIN for therapeutic use.

PHENACEMIDE

PHENAZONE except when included in Schedule 1.

PHENAZOPYRIDINE

PHENETHICILLIN except when specified in the Notice.

PHENFORMIN

PHENGLUTARIMIDE

PHENINDIONE for internal therapeutic use.

PHENIRAMINE except when included in Schedule 1 or 2.

PHENOXYBENZAMINE

PHENOXYMETHYLPENICILLIN except when specified in the Notice.

PHENSUXIMIDE and other substances structurally derived from succinamide with anticonvulsant properties when used for therapeutic purposes.

 $2^{n} + 1^{n} + 2^{n}$

+ PHENTERMINE

PHENTHIMENTONIUM

PHENTOLAMINE

PHENYAPIN

PHENYLBUTAZONE

PHENYLEPHRINE in preparations for human ophthalmic use containing 5 per cent or more of phenylephrine.

PHENYLPROPANOLAMINE except when included in Schedule 2.

.../25.

an an taon an tao

PHENYLTOLOXAMINE except when included in Schedule 2.

PHENYTOIN and other substances structurally derived from hydantoin with anticonvulsant properties when used for therapeutic purposes.

PHOLCODINE when compounded with one or more other medicaments:

- (a) in divided preparations containing not more than 100mg of pholodine per dosage unit, or
- (b) in undivided preparations with a concentration of not more than 2.5 per cent of pholoodine.

and the many second second

except when included in Schedule 1.

PHYSOSTIGMINE

PICROTOXIN

Notive Station

1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -

an der der der der der

and the second second

Contraction of the second

ay a secolar

14 - 14 - 14

PILOCARPINE except in preparations containing 0.025 per cent or less of pilocarpine.

PIMOZIDE

PINDOLOL

PIPENZOLATE

PIPERACILLIN

PIPERIDOLATE

PIPOBROMAN

PIPRADROL

PIRENZEPINE

PIROXICAM

PITUITARY, its extracts and active principles or their synthetic substitutes except when separately specified in this Schedule.

PIZOTIFEN

PODOPHYLLUM RESIN (Podophyllin) for human therapeutic use except when included in Schedule 1 or 2.

POLYMETHYLENE BISTRIMETHYL AMMONIUM COMPOUNDS

POLYMYXIN

POLYSULPHATED GLYCOSAMINOGLYCANS in preparations for injection, except where otherwise specified in this Schedule.

POTASSIUM PERCHLORATE for therapeutic use.

PRACTOLOL

PRAMOXINE except when included in Schedule 1.

- 27 -

PRAZEPAM

PRAZOSIN

PREGNENOLONE ACETATE except in preparations for topical use.

PRENYLAMINE

PRILOCAINE

PRIMAQUINE

Э

÷)

)

e de la companya de l PRIMIDONE AND ADDRESS AND ADDRESS ADDR PROBENECID

PROBUCOL

PROCAINAMIDE

PROCAINE

PROCARBAZINE

PROCHLORPERAZINE

PROCYCLIDINE except when included in Schedule 1.

PROGUANIL

PROLINTANE

PROMAZINE

PROMETHAZINE except when included in Schedule 1 or 2.

PROPANIDID - and the same fraction of the same frac PROPANTHELINE except when included in Schedule 1.

la se Anna San San

PROPRANOLOL

PROPOFOL

PROPOXUR for human therapeutic use.

PROPYLHEXEDRINE except when included in Schedule 1.

na na na na na mana ang mana a

PROPYHENAZONE

PROQUAZONE

PROSTAGLANDINS except where separately specified in this Schedule.

+PROSTIANOL

PROTHIONAMIDE

PROTIRELIN (thyrotrophin releasing factor).

PROTRIPTYLINE

PROXYMETACAINE

PSEUDOEPHEDRINE in preparations for stimulant, appetite suppression or weight control purposes.

PYRIDOSTIGMINE

PYRIDOXINE HYDROCHLORIDE in preparations for human use containing more than 50mg of pyridoxine per recommended daily dose unless labelled with the warning statement "WARNING - THIS MEDICATION MAY BE DANGEROUS WHEN USED IN LARGE AMOUNTS OR FOR A LONG PERIOD".

PYRIMETHAMINE

QUINETHAZONE

QUINIDINE

RANITIDINE

RAUWOLFIA SERPENTINA

RIFAMPICIN

RITODRINE

ROLITETRACYCLINE

ROSOXACIN

SALBUTAMOL except when included in Schedule 2. A second state of the second state of t

SALICYLAMIDE when combined with aspirin, caffeine or paracetamol on any derivative of these substances.

SALINOMYCIN except:

(a) when specified in the Notice, or

the second

(b) in animal feeds containing 60mg/kg or less of antibiotic substances.

and the second second

SELENIUM except:

(a) when specified in the Notice,

(b) as selenium arsenide in photocopier drums,

- (c) in animal feeds containing 0.1g/tonne or less of selenium,
- (d) in compressed pellets for control of selenium responsive conditions in sheep or cattle, or
- (e) in fertilizers containing 200g/tonne or less of selenium.

100

30 - A 24 a

11 Jac - 1999.

SEX HORMONES and all substances having sex hormonal activity except when separately specified in these Schedules.

+SILVER SULPHADIAZINE

SISOMYCIN

SODIUM CELLULOSE PHOSPHATE for human internal use.

SODIUM CROMOGLYCATE except when included in Schedule 2.

SODIUM NITROPRUSSIDE for human therapeutic use.

SODIUM VALPROATE

SONTOQUINE

SOTALOL

÷

à

SPARTEINE

SPECTINOMYCIN

SPIRAMYCIN except:

- (a) when specified in the Notice; or
- (b) in animal feeds for growth promotion in pigs or poultry containing 50mg/kg or less of antibiotic substances.

111 20 10 10

SPIRONOLACTONE

SPUTOLYSIN - See trans-4-(3,5-bibroma-2-hydroxybenzyl)-amino cyclohexanol hydrochloride monohydrate.

STANOLONE

STANOZOLOL

STREPTOMYCIN except when specified in the Notice.

STROPHANTHUS and its glycosides.

STRYCHNINE in preparations containing 1.5 per cent or less of strychnine for the treatment of animals.

SULFAMETROLE

SULINDAC

SULPHANILAMIDE and its derivatives except:

(a) when specified in the Notice

(b) when separately specified in this Schedule;

(c) oryzalin;

- (d) sulphaquinoxaline in animal feeds containing 200mg/kg or less of sulphaquinoxaline, or
- (e) sulphaquinoxaline when incorporated in baits for the destruction of vermin.

1.1.1

이 문화 문

.../31.

+ SULPHATROXAZOLE

SULPHINPYRAZONE

SULPHOMYXIN

SULPHONAL and alkyl sulphonals.

SULTHIAME

SUXAMETHONIUM

TACRINE

TAMOXIFEN

TEMAZEPAM

TENIPOSIDE

TERBUTALINE except when included in Schedule 2.

TERFENADINE

TEROPTERIN

TETRABENAZINE

TETRACOSACTRIN

TETRACYCLINE except when specified in the Notice.

+THALIDOMIDE

THENYLDIAMINE except when included in Schedule 1 or 2.

THEOPHYLLINE except when included in Schedule 2.

THIACETARSAMIDE, in preparations for the prevention or treatment of heart worm in dogs.

THIACETAZONE

THIAMBUTOSINE

TH1AZOSULPHONE

THIETHYLPERAZINE

THIOPROPAZATE

THIORIDAZINE

THIOTEPA and other substances structurally derived therefrom with cytotoxic properties when used for therapeutic purposes.

THIOTHIXENE

THIOURACIL and substances structurally derived therefrom with antithyroid properties when used for therapeutic purposes.

THIOUREA for therapeutic use.

THYROID and extracts, and its active principles except when separately specified in this Schedule.

• • • • · · ·

THYROTROPHIN (T.S.H.)

THYROXINE SODIUM

<u></u>}

3

`)

Ì

Ì

)

)

TIAMULIN except:

(a) when specified in the Notice

(b) in prepared animal feeds.

TICARCILLIN

TIEMONIUM

TIGLOIDINE

TIMOLOL

TINIDAZOLE

TIOCONAZOLE except when in Schedule 2. TIPEPIDINE

Agencies grade for the second second

TOBRAMYCIN

TOCAINIDE

TOLAZAMIDE

TOLAZOLINE for internal use.

. .

TOLBUTAMIDE

TOLPROPAMINE

TRANEXAMIC ACID

TRETAMINE

TRIAMTERENE

../32.

-2 \rightarrow -2 \rightarrow -2

1 4 1 A 1 A 1 A 1 A 1

the second second

TRIAZOLAM

TRICHLOROETHYLENE for therapeutic use. a<mark>r ---γα αβάν</mark> Artista (1999) - Artista (1999) Artista (1999) - Artista (1999)

TRICLOFOS

TRICYCLAMOL

TRIDIHEXETHYL

TRIFLUOPERAZINE

TRIFLUPERIDOL

TRIMEPRAZINE except when included in Schedule 1 or 2.

TRIMETAPHAN

TRIMETHOPRIM

TRIMIPRAMINE

TRIMUSTINE

TRIOXYSALEN

TRIPELENNAMINE

TRIPROLIDINE except when included in Schedule 1 or 2.

TROXIDONE and other substances structurally derived from oxazolidinone with anticonvulsant properties when used for therapeutic purposes.

TYLOSIN except:

(a) when included in the Notice.

(b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic substances, or

and the second secon

(c) in milk replacers for calves or starter rations for pigs, containing 100mg/kg or less of antibiotic substances.

URETHANE (excluding its derivatives) for therapeutic use.

and the second second

1.1.1.1.1.1.1

.../33.

URETHANES AND UREIDES having or purporting to have soporific, hypnotic or narcotic properties except when separately specified in these Schedule.

VACCINES, sera, toxoids, and antigens for human parenteral use.

VACCINES, veterinary live virus except:

(a) poultry vaccines.

(b) pigeon pox vaccine, or

(c) scabby mouth vaccine.

VALNOCTAMIDE

7

7

 \mathbf{i}

=

1

•)

VASOPRESSIN

VERAPAMIL

VERATRUM for therapeutic use.

VECURONIUM

VIDARABINE

VINCA ALKALOIDS including semi-synthetic derivatives.

VIPRYNIUM

VIRGINIAMYCIN except:

- (a) when specified in the Notice, or
- (b) in animal feeds for growth promotion containing 50mg/kg or less of antibiotic substances.

VISNADINE

VITAMIN A for human therapeutic use, except in preparation containing 10 000 I.U. or less of vitamin A per recommended daily dosage.

VITAMIN D for human therapeutic use except in preparations containing 25 micrograms or less of vitamin D per recommended daily dosage.

WARFARIN for internal therapeutic use.

XANTHINE OXIDASE INHIBITORS including allopurinol.

XANTHINOL NICOTINATE

XYLAZINE

YOHIMBINE

ZERANOL except when specified in the Notice.