[LEGAL NOTICE NO. 107]

MARITIME TRANSPORT DECREE 2013 (Decree No. 20 of 2013)

Maritime (Survey Reports) Regulations 2014

In exercise of the powers conferred upon me by section 240(1)(f) of the Maritime Transport Decree 2013, I hereby make these Regulations—

Short title and commencement

1. These Regulations may be cited as the Maritime (Survey Reports) Regulations 2014 and shall come into force on a date or dates appointed by the Minister by notice in the *Gazette*.

Interpretation

- 2. In these Regulations, unless the context otherwise requires—
 - "annual survey" means a survey of the hull (including inspection of underwater hull and underwater gear on a slipway or dock), superstructure, deck and engine machinery, cargo gear, navigation and safety equipment, safety and fire appliances, conditions and assignment of load line of a ship registered under the Ship Registration Decree 2013;
 - "Authority" means the Maritime Safety Authority of Fiji;
 - "Chief Executive Officer" means the Chief Executive Officer of the Authority;
 - "Decree" means the Maritime Transport Decree 2013;
 - "deficiency list" means a list of deficiencies or repairs issued by a surveyor to the ship owner or his or her representative to be rectified by the ship owner;
 - "Fiji ship" shall have the same meaning as in the Ship Registration Decree 2013;
 - "semi-annual (sight) survey" means a sight survey conducted within 6 months of completing the annual survey, to ensure that the ship and its machineries and the safety equipment continue to meet the requirements of the Maritime (Survey of Ships) Regulations 2014 without requiring the ship to be slipped or uphauled on a dock;
 - "survey checklist" means a comprehensive list of survey items for Fiji ships to be checked by a surveyor during the conduct of a particular survey; and
 - "surveyor" shall have the same meaning as in the Ship Registration Decree 2013.

Objectives

- 3. The objectives of these Regulations are to-
 - (a) specify the survey checklist and deficiency list required which are used by the surveyors; and

(b) require a survey checklist to be issued to ship owners on request before a deficiency list is provided to a ship owner or the representative after the conduct of a survey by a surveyor.

Application

4. These Regulations shall apply to all Fiji ships and ships which are required to be registered under the Ship Registration Decree 2013.

Semi-annual sight survey

- 5.—(1) Any survey report by a surveyor in respect of a semi-annual (sight) survey carried out on a ship shall contain a completed survey checklist in the form set out in Schedule 1.
- (2) The Chief Executive Officer shall ensure that a copy of a survey checklist referred to in sub-regulation (1) is made available to the master of the ship.

Survey checklists

- 6.—(1) Any survey report by a surveyor in respect of a semi-annual (sight) survey carried out on a ship on behalf of the Chief Executive Officer shall contain a completed survey checklist in the form set out in Schedule 2 titled "Semi-annual (Sight) Survey".
- (2) Any survey report by a surveyor in respect of an annual survey carried out on a ship on behalf of the Chief Executive Officer shall contain completed survey checklist in the forms set out in Schedule 2 titled "Semi-annual (Sight) Survey" and "Annual Survey".
- (3) Any survey report by a surveyor in respect of Four yearly survey carried out on a ship on behalf of the Chief Executive Officer shall contain completed survey checklists in the forms set out in Schedule 2 titled "Semi-annual Survey", "Annual Survey" and "Four Yearly Survey".
- (4) The Chief Executive Officer shall ensure that a copy of a survey checklist referred to in sub-regulations (1), (2) or (3) is made available to the master of the ship.

Deficiencies lists

- 7.—(1) Where during the course of a survey of a ship, a surveyor becomes aware of any deficiencies in the ship or any repairs that need to be carried out before a report of survey is completed, the surveyor must complete the form set out in Schedule 3.
- (2) The report referred to in sub-regulation (1) shall be made in duplicate with each part being signed by the surveyor who carried out the survey and a representative of the ship's owner.
- (3) One copy of a report referred to in sub-regulation (1) shall be given to a shipping officer for filing in the ship's survey file and the original shall be given to the representative of the ship's owner.
- (4) The ship owner or his or her representative should provide a copy of the report to the master of the ship.

Repeal, savings and transitional provisions

8.—(1) The Marine (Survey Reports) Regulations 1990 are hereby repealed.

- (2) A Survey Certificate in force immediately prior to the commencement date remains in force—
 - (a) for a period of 2 years and 4 months from the commencement date of the Decree; or
 - (b) until the date of the expiration of that certificate,

whichever is earlier.

Made this 14th day of December 2014.

P. TIKODUADUA

Minister for Infrastructure and Transport

SCHEDULE 1 (Regulation 5)

MARITIME SAFETY AUTHORITY OF FIJI SURVEY CHECK-LIST

SEMI-ANNUAL SAFETY EQUIPMENT SURVEY

Shi	p:	Date Commenced:
Ma	ster's Name & Certificate No.:	
Not	tes;	
1.	All remarks concerning deficiencies number reference and the action take	s should be clarified under General Remarks by en.
2.	Write "N.A." where an item is not a	pplicable.
3.	The Master shall be given one copy	of this report.

1.0 Lifeboat

Length	M	Plugs	No.	Boat hooks	No.
Capacity	Pers.	Buoyant Baile	Buoyant Bailer		
Oars/ Crutches	No.	Buckets	No.	Sea Anchor	
Hatches	No.	Painters	No.	Pyrotechnics	
Engine		Graduated dri	nking cup	Rocket -	
Engine tools		Food Rations		Hand Flare	
Rust proof dipper/ lanyard		Water Proof Torch		Smoke signal –	
Jack knife		Search light		Signaling mirror	
Fire Extinguisher		Fishing tackle		Radar Reflector	
Buoyant Qouits No.		Thermal protective aid		First Aid Kit	
Manual pump (bailing)		Water collecto	or ·	Anti-Seasick medi	cine
Survival Manual					
Sea Anchor					

Are the following fitted, supplied?

	Yes	No
Recto-reflective tapes		
VHF Radios		
Interior light (fixed)		
Exterior light (Flashing)		
Manual/Battery starting system for engine		
Adequate internal buoyancy		
Launching arrangements (freefall/Davits)		
Access Arrangements		
Is lifeboat marked with No. of lifeboat & No. of persons it is certified to carry?		
Is lifeboat marked with approval information		
Fuel with flash point of 43 degrees or less		
Means for charging batteries		_
Tiller permanently attached		
Handholds around the exterior		

2.0 Rescue Boats

Length	M	Plugs No.	Whistle
Capacity	Pers	Buoyant Bailer No.	Torch
Oars	No.	Bouyant line (tow Liferat	t) First Aid Kit
Buoyant Qouits	No.	Painter	Radar reflector
Boat Hook		Thermal protective aid	Search light
Bucket		Sponges	Fire Extinguisher
Knife		 Manual Pump (bailer)	Repair kit

Are the following fitted, supplied?

Launching arrangements? (Davits/ hoist)	Yes	No
VHF Radios	Yes	No
Is rescue boat marked with serial no. (makers name and date built)	Yes	No
Steered by wheel	Yes	No
Automatic engine cut off	Yes	No

3.0 Approved Boat

Length	M	Plugs	No.	Anchor	Kg
Capacity	Pers	Bailer	No.	Line	M
Oars	No.	Painter	No.	Smoke signals	No.

Are the following fitted, supplied?

Retro-reflective Tape?	Yes	No
Adequate internal buoyancy?	Yes	No
Launching arrangements?	Yes	No
Is boat marked with No. of persons it is certified to carry?	Yes	No
Has boat been swamp tested?	Yes	No

4.0 Inflatable Liferafts (ILR)

Maker	Serial No.	Capacity (No.pers.)	Expiry Date
	<u> </u>		
	ra, u. n	and	
	Inflatable Buoy	ant Apparatus (IBA):	
Maker	Serial No.	Capacity (No. Pers.)	Expiry Date
	!		

5.0 Buoyant Appliances

No. of Units	No. of Units Capacity		
Are the appliances robust enough for drop to	est?	Yes	No

Are the appliances robust enough for drop test?	Yes	No
Is the colour highly visible?	Yes	No
Is the certified No. of persons marked on the appliances?	Yes	No
Are the grablines satisfactory?	Yes	No
Is retro-reflective tape fitted on top & bottom?	Yes	No

6.0 Internal Buoyancy in Small Ships

Is the material of an approved type?	Yes	No
Is it secured sufficiently not to float out of a damaged hull?	Yes	No
Is it sufficient to keep the fully loaded ship afloat upright if swamped	Yes	No
and damaged?		

7.0 Lifebuoys, Self igniting Lights, Smoke Signals, Buoyant Lines

Lifebuoys	No.
Without attachments:	
With self-igniting lights	
With smoke & lights	
With 30M Lines:	

Are the units of approved type in good condition?	Yes	No
Placed ready for use?	Yes	No
Is ship's name and port marked on lifebuoy?	Yes	No
Are any pyrotechnics beyond expiry date?	Yes	No

8.0 Lifejackets and Attachments

	Туре	No.	
- 1	SOLAS COASTAL		
	SHELTERED WATER		

Are the jackets of approved type and properly marked?	Yes	No
Are all in good condition?	Yes	No
Are they stowed in dry adequate storage area and immediately accessible?	Yes	No
Is the storage area marked with contents?	Yes	No
Are notices adequately displayed showing donning instructions?		No
Do the lifejackets have appropriate fittings for the area of trade	Yes	No

9.0	Portable	· Radio	Fauinn	enf
<i>7 .</i> 0	I VI LADIS	. ivaunv	Launna	

State type and identity marks and Certificate expiry:		
Does it comply with SOLAS requirements?	Yes	No

10.0 Pyrotechnic Distress Signals

Parachute Type	No	Expiry Date
Hand Flares	No	Expiry Date
Smoke Signal	No	Expiry Date

Where stowed?		
	**********	**********

Does it comply with SOLAS requirements?	Yes	No
11.0 Rescue Signals Table		
Where is this Table kept?		
(A copy is in International Code of Signals Appendix 3).		
12.0 Chronometer, deck watch and bridge clock		
Is the chronometer or deck watch easy to read to the nearest second?	Yes	No
Has it been certified by its makers as a ship's chronometer or deck watch?	Yes	No
Is the bridge clock large enough to read from any part of the bridge area to the nearest minute?	Yes	No
Are these instruments all in working order?	Yes	No
13.0 Chronometer, deck watch and bridge clock		
Is standard compass carried?	Yes	No
Is standard compass well placed for all round view?	Yes	No
Is an Azimuth mirror available?	Yes	No
Is lighting satisfactory for night use and by emergency supply?	Yes	No
Has any major steel work, welding been undertaken since the last compass swing?	Yes	No
Is separate steering compass carried?	Yes	No
Is steering compass well placed and illuminated for steering by?	Yes	No
Is steering compass placed well away from electrical equipment?	Yes	No
Give date of last Deviation Card issued and state maximum recorded de	viation	••••••
Is a gyro compass fitted?	Yes	No
Name type:		• • • • • • • • • • • • • • • • • • • •
14.0 Depth Sounder		
Is a hand lead carried?	Yes	No
Marked in fathoms or metres?	Yes	No
Is an Echo Sounder carried?	Yes	No
Does the Echo Sounder give a clear indication of datum line & bottom		No
Are necessary spare parts for the Echo Sounder carried?	Yes	No

15.0 Signalling Equipment

Is a daylight signalling lamp carried?	Yes	No
What other signalling lamp is carried?		
Is their power supply independent of ship's main supply?	Yes	No

16.0 Charts and Nautical Publications and Instruments carried

Nautical Almanac for the current year?	Yes	No
Tide tables for the current year?	Yes	No
Nautical tables?	Yes	No
Sailing directions?	Yes	No
List of lights?	Yes	No
List of radio signals & stations?	Yes	No
MERSAR (Merchant Ship SAR) Manual?	Yes	No
Charts adequate for the usual trade and ports of refuge?	Yes	No
Chart instruments adequate?	Yes	No
Are the chart table and facilities suitable for chart work?	Yes	No
Sextant?	Yes	No
Binoculars?	Yes	No
Barometers?	Yes	No
Barograph?	Yes	No

17.0 Accommodation, Ladders, Gangways, Safety Nets

What means of access is provided between ship and wharf?

Is a safety net provided	Yes	No
What means of access is provided between ship and boats?	Yes	No
Are these means of access satisfactory?	Yes	No

18.0 Electronic Navigational Aids

State Type and whether functioning satisfactorily:

Radar?	Yes	No
ARPA?	Yes	No
GPS?	Yes	No
ECDIS?	Yes	No
D/F?	Yes	No
Radio Receiver?	Yes	No
Radio Transmitters (sight certificates)?	Yes	No

Other (describe):

19.0 Anchors and Cables

Are the numbers, sizes and condition as sighted suitable for the ship and it's trade?	Yes	No
Does the windlass satisfactorily drop, walkout and weigh the anchors?	Yes	No
Is the securing equipment satisfactory?	Yes	No
Are there sufficient mooring ropes?	Yes	No
D/F?	Yes	No
Radio Receiver?	Yes	No
Radio Transmitters (sight certificates)?	Yes	No

20.0 Pilot Ladders

Does the ship carry a pilot ladder and mechanical pilot hoist that meet	s Yes	No
the standards and is in satisfactory condition?		

If not, state reason:

21.0 Medicines and Medical Stores

Are the Medical stores, lockers, access, publications and security of drugs of standard type and condition as per the requirement of the Maritime (Ships Medical Requirement) Regulation 2014?		Yes	No
Has a Certificate of Inspection of Medical Stores been issued by a registered Pharmacist within the previous 12 months? (This requirement applies to ships required to carry medical stores as per the requirement of the Maritime (Ships Medical Requirement) Regulation 2014	Yes	No	N/A

	Does the special nature of the ship or its operation warrant a higher	Yes	No	
i	than minimum specified standard of medicines?			

22.0 Official Log Book, Accident Reports, Emergency Drills

Is an official log book carried on board the ship and properly filled as per the requirement of the Maritime (Logbook) regulation 2014?	Yes	No
Is a deck and engine log book carried on-board the ship and properly filled as per the requirement of the Maritime (Logbook) regulation 2014?	Yes	No
Are navigation lights, shapes and sound signals in satisfactory condition?	Yes	No
Are spare bulbs carried for the navigation lights?	Yes	No
Do the lights have an emergency source of power?	Yes	No
Do the sidelight screens comply with COLREGS?	Yes	No

Light	No.	Lan	tern	Description & Height of Lens	Makers Name and No.	Spare bulbs
		Hght	Bdth			
Port Side Stbd Side Masthead For'd Masthead Aft Anchor For'd Anchor Aft NUC Stern Fishing Ship (red/white/light) Pilot ship (white/red light)						
Whistle				Description		
Bell				1 -		
Gong				l l		
Black balls or shape						
Conical shape	**************	*************	************	Description & No		

23.0 Fire Detection System

Was the detection system checked and found satisfactory?	Yes	No
Was the fire alarm tested via activation of fire detectors/activation points	? Yes	No

24.0 Fire pumps, hydrants, Hoses and connections

Were at least two hydrants, hoses and nozzles tested satisfactorily using main fire pumps? (If not, test all)	Yes	No
Were the remainder visually inspected and found satisfactory?	Yes	No
Was the Emergency fire pump satisfactorily tested to full required load?	Yes	No

25.0 Fixed Fire Extinguishing Installations

Are Servicing Certificates in date?	Yes	No
Have the lines been blown through (Carbon dioxide system)	Yes	No
Have Bottles been weighed (Carbon dioxide system)	Yes	No
Have Carbon Dioxide system alarm been tested	Yes	No

26.0 Fire Extinguishers:

Are Servicing Certificates in date?	Yes	No
Are the class of fire extinguishers appropriate for that space	Yes	No

27.0 Firemen outfit

Are Safety lamps functioning	Yes	No
Breathing Apparatus (BA) equipment in satisfactory condition	Yes	No
BA Air cylinders at full pressure	Yes	No
Protective clothing and equipment (Jacket/trousers/gloves/head gear	Yes	No
/boots/torch) in satisfactory condition		

28.0 International Shore Connection:

In accordance to international standards	Yes	No
	L	L I

29.0 Firebuckets

Provided					ĺ	37	N.T
i Provided					- 1	Yes	No
1							1 * ' ~ 1

30.0 Sand trays in Boiler spaces

Provided	Yes	No
11011100	100	110

31.0 Fire Axe & Fire Blanket

Fire Axe -Provided	Yes	No
Fire Blanket Provided	Yes	No

32.0 Fire Alarm Bells and emergency signal

Can crew be summoned to fire stations by fire alarm bell separate to the passenger alarm bell?	Yes	No
Are all fire alarm bells functioning?	Yes	No
Is the emergency alarm functioning?	Yes	No

33.0 Public Address System

Is it functioning clearly in all accommodation, control and service s	20000	Vac	NI.
I is it functioning creatly in an accommodation, control and service s	paces:	168	INO I

34.0 Remote Control Valves to Machinery and Fuel

	1	
Are valves functioning satisfactorily?	Yes	No

List below the Number, Details and Location of all fire fighting equipment

FIRE APPLIANCES

No.	Whe	ere Placed	Materials	Machinery	Light.	Dia.	Type of Nozzle
<u> </u>	 			<u> </u>	 		
	ļ		<u> </u>		<u> </u>	<u> </u>	
	<u> </u>		<u> </u>		<u> </u>	<u> </u>	
Con	<u>nectic</u>	<u>m</u>	<u>,L_</u>		·		Y
ĺ			Type C	Capacity	Date of	Test	No. of
							Spare
			İ				Charges
<u> </u>							
Ĺ					<u> </u>		
ĺ							ı
			<u> </u>		<u></u>		
	_						
<u> </u>		<u> </u>					
ĺ							
ĺ	1	ĺ					
		İ					
		İ					
ĺ							
ĺ		İ					
of ex	tingu	ishing a fir	re in any co	ompartment	which c	ould p	out all fire

		T					
•							
ı)							
penin	gs in	1					

	ices)						
	-						
			*http://www.				*****
	of exn:	of extingum: control in coninery d space to n) penings in natic g devices)	of extinguishing a firm:	of extinguishing a fire in any con: control in case of fire: penings in penings in attic g devices)	of extinguishing a fire in any compartment n: control in case of fire: ninery d space to n) penings in catic g devices)	of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire: interpretation of extinguishing a fire in any compartment which conscious control incase of fire in any control incase of fire in any compartment which control incase of fire in any conscious control incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fire incase of fir	of extinguishing a fire in any compartment which could particle in any compartment which could partice in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could particle in any compartment which could be approximately any compartment which could be approximately and compartment which could be approxi

35.0 Remote controls

İ	Are the remote push buttons or switches for ventilation fans and	Yes	No
	remote water tight doors functioning satisfactorily		

36.0 Muster list and emergency instruction

Is the muster list available and placed in conspicuous spaces in- cluding navigation bridge, engine room, and crew and passenger accommodation spaces	Yes	No
Is the emergency instructions/duties for ships officers placed in officers cabins	Yes	No

37.0 Emergency Lighting

Does the emergency lighting function satisfactorily in all required areas including: Service and accommodation alleyways, stairways and exits?	Yes	No
Personnel lifts?	Yes	No
Machinery spaces, generating spaces, and their control positions?	Yes	No
Control stations, bridge, fire station, cargo pump room etc?	Yes	No
Stowage area for firemen's outfits?	Yes	No
Steering gear?	Yes	No
Sprinkler pumps, emergency fire pumps and bilge pumps?	Yes	No
Lifeboat and Liferafts stations on deck & the water below?	Yes	No

38.0 Stability Information

Is a stability booklet available to the Master?	Yes	No	

39.0 Cargo Gear

Is the cargo gear certificate valid?	,	'es	No
Is the cargo gear in satisfactory condition (Visual inspection)?	7	/es	No

Comments:			

SCHEDULE 2

(Regulation 6)

MARITIME SAFETY AUTHORITY OF FIJI SURVEY CHECK-LIST

SEMI-ANNUAL (SIGHT) SURVEY

Ship	Date Commenced:		
Note 1.	s All remarks concerning deficiencies should be clarified under "Gener number reference and the action taken.	al Rema	ırks" by
2.	Write "N.A." where an item is not applicable.		
3.	The Master shall be given one copy of this report.		
1.0	Has a Safety Equipment Survey Report been completed for this survey?	Yes	No
2.0	Has a Running trial of each Main engine and associated gear box been satisfactorily completed?	Yes	No
3.0	Has an operational test of the auxiliary generators been satisfactorily completed?	Yes	No
4.0	Has an operational test of boilers and electric heaters been satisfactorily completed?	Yes	No
5.0	Have bilge pumps, bilge valves and bilge alarms been operationally tested?	Yes	No
6.0	Has an operational test of oily water separator (oil filtering equipment) and testing of 15 ppm alarms been satisfactorily completed?	Yes	No
7.0	Has the oil record book entries been checked for consistency?	Yes	No
0.8	Has an inspection of all logbooks including official, deck and engine log been carried out?	Yes	No
9.0	Has an inspection of Sewage record book and Garbage record book been carried out?	Yes	No
10.0	Has inspection of engine room bilges and cargo space bilges and any other bilge space been carried out?	Yes	No
11.0	Have the fire pumps, emergency fire pump and all valves in the Fire Main Systems been operationally tested and found satisfactory?	Yes	No
12.0	Has a satisfactory running trial of all machinery essential to the safe operation of the ship including but not limited to bow and stern thrusters, steering gear, purifiers or separators, desilinators, sewage systems, pumps, compressors, cranes, winches, windlass and hoists been conducted?	Yes	No

13.0	Have all piping and valve arrangements been inspected satisfactorily?		
14.0	Are all personnel protection arrangements including but not limited to machinery guards, heat shields, eye, ear, body and head protection equipment in machinery spaces satisfactory?		No
15.0	Are all emergency escape routes from engine room and accommodation spaces operationally satisfactory?	Yes	No
16.0	Are all casings, superstructures, hatch coamings companionways, bulwarks considered satisfactory?	Yes	No
17.0	Emergency equipment and machineries including but not limited to, emergency generators, emergency fire pumps, emergency compressors, emergency steering, emergency lightings and emergency alarm systems?	Yes	No
0.81	Surveyors to test crew competency by carrying out dry or wet drills including fire, abandon ship (launching of lifeboat or approved boats), emergency, security, and first aid when required?	Yes	No
19.0	Has the sewerage treatment system operation been checked?	Yes	No
20.0	Has sewerage record book entries been checked for consistency?	Yes	No
21.0	Has garbage record book been checked for consistency?	Yes	No
22.0	Has Cargo record book for ships carrying noxious liquid substances in bulk been checked and entries are consistent?		No
23.0	O Has the Ballast water record book been checked and entries are consistent?		No
24.0	O Has the incinerator operation been checked and entries of incineration of garbage been checked?		No
25.0	.0 Has all plans and manuals onboard the ship been checked including, Yes N ballast water management plan, garbage management plan, shipboard marine oil spill contingency plan, Operational manual for oil discharge monitoring and filtering equipment, procedures and arrangement manual for noxious liquid substance?		No
26.0	Specific shipboard/ basic familiarisation training 26.1 Are the procedures for basic familiarisation of new crew in place?	Yes	No
	26.2 Are the documents in order?	Yes	No
	26.3 Has specific shipboard handover procedures been followed - evidence produced?	Yes	No
	26.4 Last date of entry	Yes	No
	26.5 Has basic familiarisation training been conducted	Yes	No
	 26.6 Last date of entry Verity the last date of entry with last date of crew change Confirm training with seafarers on board from last entry 	Yes	No
27.0	Has the radio log book been checked for consistency?	Yes	No

MARITIME SAFETY AUTHORITY OF FIJI SURVEY CHECK-LIST

ANNUAL SURVEY

(Regulation 6 (2))

In addition to the items in Semi-annual (sight) Surveys, the following items shall be inspected

(Additional to Semi-annual (Sight) Survey)

Name	of Ship: Date:		
1.0	Have all sea injection valves and overboard discharge valves and cocks been operationally tested and found satisfactory?	Yes	No
2.0	Have Main and Emergency means of steering been operationally tested and found satisfactory?	Yes	No
3.0	Have all other machinery installations and electrical installations not previously listed been generally examined?	Yes	No
4.0 5.0	List the Machinery examined	Yes Yes	No No
6.0 7.0	State expiry date of Certificate:	Yes Yes	No No
0.8	State expiry date of Certificate	Yes	No
9.0	Pressure ship and associated mountings, of an air pressure/salt water system having a working pressure of more than 275 KPa. Is it in satisfactory working and general condition and a Certificate issued under the Health and Safety at Work Act, 1996 been sighted?	Yes	No
10.0	State expiry date of Certificate	Yes	No
	State expiry date of Certificate		

11.0	Are the conditions of assignment of loadline being satisfactorily maintained? List the relevant items below:	Yes	No
	Deckline (P) & (S)		
12.0	Were any hose tests conducted? (Give details in General Remarks)	Yes	No
13.0	Were all casings, superstructure, hatch coamings, companionways, bulkwarks considered satisfactory?	Yes	No
14.0	Has any constructional or other modification to the ship occurred since the previous survey which would affect the approved form of Stability Information available to the master?	Yes	No
15.0	Note: Steel Ships of Less than 24 Years age may Extend Items 20 to 22 to Two Yearly Survey subject to a Satisfactory Report of the Underwater Hull and Underwater Fittings by a Dive Surveyor.	N/	NI.
15.0	Does the hull externally and internally (ignoring in way of tanks forming part of the hull) appear satisfactory? (If thickness tests are considered necessary, give details in General Remarks).	Yes	No
16.0	Have all sea injection and overboard discharge valve; and cocks and their fastenings been inspected?	Yes	No
17.0	Were any opened up? Inspection of propellers, rudders, stern bush and underwater fittings. Are general conditions and the wear down tolerances to satisfactory limits? (State any repair or replacement work under General Remarks; also state the rudder bearing clearances, and clearance of propeller stern bush)		No
18.0	Visual inspection of Anchors, Cables & Joining links. Do these items appear satisfactory for use until next Four Yearly Survey?	Yes	No
19.0	appear satisfactory for use until next Four Yearly Survey? Has a report by a Diver Surveyor been issued in lieu of your own report on items 20 to 22 which satisfies you that there is no necessity to slip or dry dock the ship for this current survey?		No

GENERAL REMARKS

Item	Number		
	(Date)	Surve	yor)
	MARITIME SAFETY AUTHORITY OF FIJI SURVEY CHECKLIST		
	FOUR YEARLY SURVEY (Regulation 6(3))		
	(Additional to Annual Survey)		
Nam	e of Ship: Date:		
		Indi	cators
1.0	Each propeller, shaft and tube. Shafts to be drawn out and tested for cracks. Stern tube bearing wear down checked and bush adjusted as necessary	Yes	No
2.0	All ship side valves opened up & overhauled	Yes	No
3.0	Rudders to be lifted/removed, Pintles, gudgeons stock bearings examined. Bearing replaced if damaged or excessive clearance	Yes	No
4.0	Steering gear. Main & auxiliary steering arrangements examined, opened up at Surveyor's discretion	Yes	No
5.0	Windlass, capstans and mooring winches given operational test & opened up at Surveyor's discretion	Yes	No

6.0	Compressed air pressure ships of more than 275 KPa working pressure and their mountings: Examined internally and externally. If internal inspection is impractical they are to be hydraulically tested to 1.5 times working pressure?	Yes	No
	State date of expiry of Certificate issued under The Health and Safety at Work Act, 1996		
7.0	Air pressure/fresh water system ships having a working pressure of more than 275 Kpa, and their mountings. Examined internally and externally. If internal inspection is impractical they are to be hydraulically tested to 1.5 times working pressure	Yes	No
	State date of expiry of Certificate issued under The Health and Safety at Work Act, 1996		
0.8	Insulation tests of all electrical installations above 32V (A.C. or D.C.) State test details	Yes	No
9.0	Anchors and Cables range and calibrate (wear down maximum 10% diameter). Examine all shackles, studs. Change end to end cables:	Yes	No
10.0	Chain locker. Internal examination of structure, cable attachment and pumping arrangement:	Yes	No
11.0	Tanks forming part of the hull, other than fuel oil tanks. Internal examination.	Yes	No
	Note tank numbers and general condition in "Tank Survey Table" below.		
	Note condition of striking plates below the sounding pipes in every tank examined		
12.0	Fifty per cent of all fuel oil tanks forming part of the hull, internally, so that all such tanks are inspected within a ten year period. Internal examination. Note tank number and general condition in "Tank Survey Table" below	Yes	No
13.0	Void spaces. Examine internally. Note location and general condition in "Tank Survey Table" below	Yes	No
14.0	Hull thickness gauging for ships every 2 years. Depending on hull thickness wear. Annual hull thickness gauging for ships where it is evident that where on the hull plates is equal to or more than 30% of the original thickness.	Yes	No

Tank survey table

Survey of Tanks Forming Part of the Hull

For each tank show the normal use, year last surveyed, work carried out and this survey and any recommendations.

Key: FO = Fuel Oil; SW = Salt Water	r;	FW = Fresh Wate V = Void Space	er; SU = Sullage		
	FP]			
No: Port	Ctr	Stbd	Work carried out at the and any recommendate		•
The state of the s					
	Ар				
15.0 Hull in way of r Remove and in		ballast.		Yes	No
Remove insulat	ion and ins		y of refrigerated space.	Yes	No
			s old. Gauging may be drill	Yes	No

(i) Gauging two places in each strake of the shell plating on each side between ballast and Load Water lines.

test or other approved method and made within 0.5L amid ships

(ii) Gauging in two places in each strake of the strength deck plating on each side outside the line of openings.

18.0 Cargo gear. Inspected, Load tested and certified (to comply with Health and Safety at Work Act, 1996?)	Yes	No
A certificate from a Classification Society or the Inspections should be obtained and recorded. Certificate Issuing Authority: Valid until:		
19.0 Other survey Items as determined by the Authority Details	Yes	No
GENERAL REMARKS		
Item Number		
		···
(Date)	(Surv	eyor)

SCHEDULE 3

(Regulation 7)

MARITIME SAFETY AUTHORITY OF FIJI

LIST OF REPAIRS OR DEFICIENCIES FOR A SHIP UNDER SURVEY

(Regulation 7(1))

To: The Owner/Master of Ships:	
at (place of survey):	Date of Survey:
Item	

Signed:	Signed:
Owner's representative	Surveyor of the Authority

Having surveyed the above ship at your request in respect of an Initial/Semi-annual/Annual/ 4 Year/ Special/ Safety Equipment Survey/ or other survey, I report that the following deficiencies listed below are required to be rectified as instructed before a Report of Survey may be completed.

Note:

- (1) To be completed in duplicate. Original to owner, copy to Shipping office.
- (2) Owner's representative to sign form.