
# CONDOMINIUM DES NOUVELLES-HEBRIDES NEW HEBRIDES CONDOMINIUM

ARRETE CONJOINT 12 de 1939 JOINT REGULATION 12 of 1939



is en double exer

intrepreneurs son

ions nouvelles ompte des dispy sez nombreux pour

la construction.

-elles les diverses

tte interdiction le

ancres on d'équ

#### JOINT REGULATION

No. 12 of 1939.

regulate the importation, sale, supply and possession of certain dangerous drugs in the New Hebrides.

at Regulation No. 12 of 1939 was published in Condominium nette No. 118 and is reprinted as amended by the following Joint nulations:

f 1952 Condominium Gazette No. 178 of 1959 Condominium Gazette No. 203

His Britannic Majesty's Resident Commissioner and the ident Commissioner for the French Republic in the New Hebrides, HERBBY MAKE the following Joint Regulation.

1. In this Regulation unless the context otherwise requires—

w opium" means the spontaneously coagulated juice obtained from the capsules of the Papaver somniferum L., which has only been submitted to the necessary manipulations for packing and transport, whatever its content of morphine;

repared opium" means opium prepared for smoking and includes dross and any other residues remaining after opium has been smoked:

edicinal opium" means raw opium which has undergone the processes necessary to adapt it for medicinal use in accordance with the requirements of the British Pharmacopoeia, whether it is in the form of powder or is granulated or is in any other form and whether it is or is not mixed with neutral materials;


oca leaves" means the leaves of the Erythroxylon Coca Lamarck and the Erythroxylon novogranatenaca (Morris) Hieronymus and their varieties belonging to the family of Erythroxylaceae and the leaves of other species of this genus from which cocaine can be extracted either directly or by chemical transformation;

ndian hemp" means the dried flowering or fruiting tops of the pistillate plant known as Cannibis sativa from which the resin has not been extracted, by whatever name such tops are called.

- 2. The importation, sale, supply or possession in the New brides of the following substances and materials except as provided tricle 3 hereof is prohibited—
- (1) Opium Poppy, seed of the Opium Poppy, Raw Opium, Medicinal Opium or Opium in the form of tinctures, extracts, and other such preparations containing more than 0.2% of Morphine as made from Opium.
- (2) Morphine and its salts, and diacetylmorphine (commonly known as diamorphine or heroin) and the other esters of

Interpretation and definitions.

Prohibited substances and materials.



Morphine and their respective salts, and all preparations of esters of Morphine.

- (3) Thebaine and its salts, and benzylmorphine and the other ethers of morphine and their respective salts.
- (4) Dihydromorphinone (dilaudide), dihydrocodeinone (dicodide), dihydrooxycodeinone (eucodal), acetyldihydrocodeinone, dihydromorphine, their esters and the salts of any of these substances and of their esters.
- (5) Morphine-N-oxyde (genomorphine) and the morphine-N-oxyde derivatives and any other pentavalent nitrogen morphine derivatives.
- (6) Any preparation, admixture, extract or other substances containing any proportion of any of the substances mentioned in paragraphs (3), (4) or (5) of this Article.
  - (7) Coca leaves.
- (8) Cocaine (including synthetic cocaine) and ecgonine and their respective salts, and the esters of ecgonine and their respective salts, and any preparations of esters of ecgonine or of their respective salts and any preparations of ecgonine containing less than one-tenth per cent. of ecgonine.
- (9) Methylmorphine (codeine) and ethylmorphine (dionine) and their respective salts.
- (10) Any solution or dilution of morphine or cocaine or their salts in an inert substance whether liquid or solid, containing any proportion of morphine or cocaine, and any preparation, admixture, extract or other substance (not being such a solution or dilution as aforesaid) containing not less than one-fifth per cent. of morphine or one-tenth per cent. of cocaine or of ecgonine.
- (11) Any preparation, admixture, extract or other substance containing any proportion of diacetylmorphine.
- (12) Such preparations containing more than 0.1% of cocaine as are made direct from coca leaves.
- (13) Indian Hemp, resin prepared from it, preparations of which the resin forms the base, and galenical preparations (extract and tincture) of Indian Hemp.
- (14) Prepared Opium and any pipes or other utensils used in connexion with the smoking of opium or in connexion with its preparation for smoking.
- [(15) Methyldihydromorphione (commonly known as Metopon), its salts and any preparation, admixture, extract or other substance containing any proportion of methyldihydromorphione.

J.R. 7 of 1952.

ces pièces.

unitaire démon
servées, l'auto
lents de Franc
délai possible,
iécessaires ou
era notifiée da
t des plans.] Pa
fiée, le propr
imencer les tra
de visiter ch
s'assurer qu
it par le perm
ra de ses opérai
deux destinés
ajesté Britanna
la quatrième
veneurs, dev
ux, indiquant
ion de constr


tte interdiction
ancres on d'e
elles les diven
iez nombreux p
la construction
intrepreneurs se
it de travail, à
is en double exe
ompte des disp
ions

ä

- (16) Alphaprodine (-4-Propionoxy-4-phenyl-1:3-dimethyl-4-piperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of alphaprodine.
- (17) Amidone (6-Dimethylamino-4:4-diphonylhoptan-3-one), its salts and any preparation, admixture, extract or other substance containing any proportion of amidone.
- (18) Botaprodine (-4-Propionoxy-4-phonyl-1:3-dimethyl 4-piperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of botaprodine.
- (19) Hydroxypethidine (Ethyl 4-m-hydroxyphenyl-l-methylpiperidine-4-carboxylate), its salts and any preparation, admixture, extract or other substance containing any proportion of hydroxypethidine.
- (20) Isoamidone (6-Dimethylamino-4:4-diphenyl-5-methylhexan-3-one), its salts and any preparation, admixture, extract or other substance containing any proportion of iso-amidone.
- (21) Ketobemidone (4-Propienyl-4-m-hydroxyphenyl-1-methylpiperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of ketobemidone.
- (22) Methadol (6-Dimethylamino-4:4-diphenylheptan-3ol), its salts and any preparation, admixture, extract or other substance containing any proportion of methadol.
- (23) Methadyl acetate (6-Dimethylamino-4:4-diphenyl-3-heptyl acetate), its salts and any preparation, admixture, extract or other substance containing any proportion of methadyl acetate.
- (24) Phenadoxone (6-Morpholino-4:diphenylheptan-3-one), its salts and any preparation, admixture, extract or other substance containing any proportion of phenadoxone.]
- [(25) Myrophine (myristyl ester of benzylmorphine), its salts and any preparation, admixture, extract or other substance containing any proportion of myrophine.
- (26) Methyldihydromorphine (6-methyldihydromorphine), its salts and any preparation, admixture, extract or other substance containing any proportion of methyldihydromorphine.
- (27) Oxymorphone (dihydro-14-hydroxymorphinone), its salts and any preparation, admixture, extract or other substance containing any proportion of oxymorphone.
- (28) Desomorphine (dihydrodesoxymorphine), its salts and any preparation, admixture, extract or other substance containing any proportion of desomorphine.

J.R. 7 of 1952.

> J.R. 3 of 1959.



(29) Methyldesorphine (6-methyl-6-desoxymorphine), its salts and any preparation, admixture, extract or other substance containing any proportion of methyldesorphine.

J.R. 3 of 1959.

- (30) Pethidine (1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester), its salts and any preparation, admixture, extract or other substance containing any proportion of pethidine.
- (31) Properidine (1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester), its salts and any preparation, admixture, extract or other substance containing any proportion of properidine.
- (32) The esters (other than the ethyl and isoprophyl esters) of 1-methyl-4-phenylpiperidine-4-carboxylic acid, their salts and any preparation, admixture, extract or other substance containing any proportion of the esters.
- (33) Etoxeridine (1-[2-(2-hydroxyethoxy)-ethyl]-4-phenyl-piperidine-4-carboxylic acid ethyl ester), its salts and any preparation, admixture, extract or other substance containing any proportion of etoxeridine.
- (34) Anileridine (1-[2-(p-aminophenyl)-ethyl]-4-phenyl-piperidine-4-carboxylic acid ethyl ester), its salts and any preparation, admixture, extract or other substance containing any proportion of anileridine.
- (35) Morpheridine (1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester), its salts and any preparation, admixture, extract or other substance containing any proportion of morpheridine.
- (36) Alphameprodine (OC-I-methyl-3-ethyl-4-phenyl-4-propionoxyplperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of alphameprodine.
- (37) Betameprodine (B-1-methyl-3-ethyl-4-phenyl-4-propionoxypiperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of betameprodine.
- (38) Trimeperidine (1:2:5-trimethyl-4-phenyl-4-propionyloxypiperidine), its salts and any preparation, admixture, extract or other substance containing any proportion of trimeperidine.
- (39) Proheptazine (1:3-dimethyl-4-phenyl-4-propionyloxy-hexamethyleneimine) its salts and any preparation, admixture, extract or other substance containing any proportion of proheptazine.

t Arrêté sont ap
rations.]

rations.]

rations.]

rations.]

rete interdiction le
ancres ou d'équ
sez nombreux pou
sez nombreux sont
is en double excuis en double excuions nouvelles.

ces pièces.

unitaire démont
servées, l'autori
cens de França
délai possible,
récessaires ou sera notifiée da
t des plans.] p
fiée, le propimencer les tra
de visiter ele
s'assurer que
t par le perma
a de ses opérai
deux destinés
ajesté Britannie
la oustrième

(40) Dipipanone (4:4-diphenyl-6-piperidine-3-heptanone), its salts and any preparation, admixture, extract or other substance containing any proportion of dipipanone.

J.R. 3 of

- (41) Normethadone (4:4-diphenyl-6-dimethylamine-3-hexanone), its salts and any preparation, admixture, extract or other substance containing any proportion of normethadone.
- (42) Dioxaphetyl Butyrate (4-morpholino-2:2-diphenyl ethyl butyrate or ethyl-2:2-diphenyl-4-morpholinobutyrate), its salts and any preparation, admixture, extract or other substance containing any proportion of dioxephetyl butyrate.
- (43) Racemoramide (d, 1-3-methyl-2:2-diphenyl-4-morpholino-butyryl-pyrrolidine), its salts and any preparation, admixture, extract or other substance containing any proportion of racemoramide.
- (44) Dextromoramide (d-3-methyl-2:2-diphenyl-4-morpholine-butyryl-pyrrolidine), its salts and any preparation, admixture or other substance containing any proportion of dextromoramide.
- (45) Levomoramide (1-3-methyl-2:2-diphenyl-4-morpholino-butyryl-pyrrolidine), its salts and any preparation, admixture or other substance containing any proportion of levomoramide.
- (46) Racemorphan (d, 1-3-hydroxy-N-methylmorphinan), its salts and any preparation, admixture, extract or other substance containing any proportion of racemorphan.

itro

hins

auti

- (47) Levorphanol (1-3-hydroxy-N-methylmorphinan), its salts and any preparation, admixture, extract or other substance containing any proportion of levorphanol.
- (48) Phenomorphan (3-hydroxy-N-phenethylmorphinan), its salts and any preparation, admixture, extract or other substance containing any proportion of phenomorphan.
- (49) Racemethorphan (d, 1-3-methoxy-N-methylmorphinan), its salts and any preparation, admixture or other substance containing any proportion of racemethorphan.
- (50) Levomethorphan (1-3-methoxy-N-methylmorphinan), its salts and any preparation, admixture, extract or other substance containing any proportion of levomethorphan.
- (51) Dimethylthiambutene (3-diethylamino-1:1-di-(2-thienyl)-1-butene), its salts and any preparation, admixture, extract or other substance containing any proportion of dimethylthiambutene.
- (52) Diethylthiambutene (3-diethylamino-1:1-di-(2-thienyl)-1-butene), its salts and any preparation, admixture, extract or other substance containing any proportion of diethylthiambutene.

t Arrêté sont rations.]

Ité interdiction de interdiction ancres on d'interdiction ancres on d'interdiction ancres on d'interpreneurs suit de travail, à ompte des dispons nouvelles ces pièces.

Initaire démonservées, l'auton délai possible, récessaires ou era notifiée de tres interdes plans.] Par le propriet des sopérates de visiter en s'assurer qui par le permit de ses opérateux destinés, ajesté Britanni, la quatrième

(53) Ethylmethylthiambutene (3-ethylmethylamino-1:1-di-(2-thienyl)-1-butene), its salts and any preparation, admixture, extract or other substance containing any proportion of ethylmethylthiambutene.

J.R. 3 of 1959.

- (54) Pholcodine (B-4-morpholinylethylmorphine), its salts and any preparation, admixture, extract or other substance containing any proportion of pholcodine.
- (55) Dihydrocodeine, its salts and any preparation, admixture, extract or other substance containing any proportion of dihydrocodeine.
- (56) Acetyldihydrocodeine, its salts and any preparation, admixture, extract, or other substance containing any proportion of acetyldihydrocodeine.
- (57) Propoxyphene (4-dimethylamino-1:2-diphenyl-3-methyl-2-propionoxybutene), its salts and any preparation, admixture, extract or other substance containing any proportion of propoxyphene.]
- 3. The following preparations are exempted from the pro- Exemptions. hibitions imposed by this Regulation—

### (a) Morphine preparations

### (1) Cereoli iodoformi et morphinae

Iodoform	0.320 gramme 0.016 ,,	
(2) Emplastrum opii		
Elemi Terebinthina Cera flava Olibanum pulvis Benzoes pulvis Opii pulvis Balsamum peruvianum	20 grammes 30 ,, 15 ,, 18 ,, 10 ,, 5 ,, 2 ,,	
(3) Emplastrum opii		
Extract of opium	25 grammes	

Refined elemi ......

Diachylon plaster with gum .....

unitaire démo servées, l'autilents de Fran délai possible récessaires ou era notifiée da t des plans,] p. fiée, le propr mencer les tra de visiter ch s'assurer qua t par le perma a de ses opérat deux destinés ajesté Britanna la quatrième veneurs, devi

tt Arrêté sol rations.]
tte interdictic ancres ou elles les divicez nombreux it a construct intrepreneurs it de travail, is en double ions nouvell.

In 1 bougie

			_
(4) Emplastrum opii			
mi	8 gr	ammes	
rebinthinae communis	15	32	
ae flavae	5	,,	
ibani pulveratae	8	**	
ozoes pulveratae	4	**	
nii nulverati	2	59	
isami peruviani	1	29	
(5) Emplastrum opii			
nium, in very fine powder		ramme	5
isin plaster	90	"	
Bmplastrum opii (see formula under (5)) mix asters contained in the British Pharmacopæ Pharmaceutical Codex.	ia or	n otne: Britisl	r h
(7) Linimentum opii	£00	_:11:1:+	
incture of opiuminiment of soap	500 1	nillilitre "	3
B) Linimentum opii (see formula under (7)) n ther liniment of the British Pharmacopæia or Pharmaceutical Codex	of the	vith an Britis	y h
(9) Linimentum opii ammoniatun	n		
Immoniated liniment of camphor	30		
incture of opium	30		
iniment of belladonua	5		
trong solution of ammonia	5		
Liniment of soap to 100			
10) Linimentum opii ammoniatum (see form mixed with any other British Pharmacopoeia or ceutical Codex liniment	ula u British	nder (9 Pharm	))) a-
(11) Caustic "Nerve Pastes"			

reparations containing, in addition to morphine salts, or morphine and cocaine salts, at least 25 per cent. of arsenious acid, and made up with the requisite proportion of creosote or phenol produce the consistency of a paste.

		'74
(12)	Diarrhœa	mille
1141	Diamino	71110

· · · · · · · · · · · · · · · · · · ·	
amphor	0.0648 gramme
cad acetate	0.013 "
Smuth subnitrate	0.162 ,,
annic acid	0.0648 ,,
pium powder	0.026 "

· la construction. lai possible

(4) Emplâtre opiacé B.P. et B.P.C. Elemi Terenbinthinae communis Cerae flavae Olibani pulveratae Benzoes pulveratae Opii pulverati Balzami peruviani  (5) Emplâtre opiacé	C.F. 8 grs. 15 ,, 5 ,, 8 ,, 4 ,, 2 ,, 1 ,,
B.P. et B.P.C. Opium, en très fine poudre Resin plaster	C.F. 10 grs. 90 "
(6) Emplâtres opiacés B.P. et B.P.C. (Voir formule du paragraphe (5) ci-dessus) d'autres emplâtres compris dans la British Phar le British Pharmacopoeia Codex.	C.F. mélangés avec macopæia ou
(7) Liniments opiacés B.P. Teinture d'opium Liniment savoneux	C.F. 500 millilitres 500 "
(8) Liniments opiacés B.P. (Voir formule du paragraphe (7) ci-dessus) d'autres liniments de la British Pharmacopæia o	C.F. mélangés avec ou de la B.P.C.
(9) Liniments d'opium ammoniacaux B.P. Liniment ammoniacal de camphre Teinture d'opium Liniment de belladone Solution d'ammoniaque Liniment savoneux à 100.	C.F. 30 30 5 5
(10) Liniments d'opium ammoniacaux Voir formule du paragraphe (9) mélant autres liniments de la B.P. ou B.P.C.	
(11) Pâtes arseniales  B.P.  Préparations contenant outre des sels de morphine et des sels de cocaïne au moins 25 % de t faites avec la quantité requise de créosote oproduire la consistance d'une pâte.	C.F. morphine, de la l'acide arsenical ou phénol pour

Elemi .....
Terebinthin
Cerae flava
Olibani pul
Benzoes pu
Opii pulve
Balsami pe

Opium, in Resin plas

(6) Empl: plasters (

> Tincture Linimen

(8) Lini other li

> Ammo Tinctus Linime Strong Linime

(10) I mixed

> Prepa phine and 1 to pi

> > Can Lea Bist Tar Opi

(13) Pilulae digitalis et opii composit	ae	
Digitalis leaves, in powder	0.31 gr	amme
Opium in powder	0.19	**
pecacuanha root, in powder	0.13	"
Quinine sulphate	0.78	"
Syrup of glucose, a sufficient quantity to make 12 pills.		
(14) Pilulae hydrargyri cum Opio		
Mercury pill	3.89 pr	rammes
Opium, in powder	0:19 g	ramme
(15) Pilulae hydrargyri cum Creta et C	Opii	
Mercury with chalk	0.78 g	ramme
Compound powder of ipecacuanha	0.78	37
Milk, sugar, a sufficient quantity		"
Syrup of glucose, a sufficient quantity		
To make 12 pills.		
10 mmt 1= pmp.		
(16) Pilulae ipecacuanhae cum Scill	a	
Compound powder of ipecuanha*	30 g	rammes
Spuill, in powder	10	<b>&gt;&gt;</b>
Ammoniacum, in powder	10	,,
Syrup of glucose, a sufficient quantity.		,,
,		
(17) Pilulae hydrargyri bichlorati cum Op	oii extra	acto
Bichloride of mercury triturated	10 c	grs.
Extract of opium	20	35
Extract of couch-grass	20	"
Liquorice root in powder, q.s. for 10 pills.		,,
(18) Pilulae hydrargyri iodati cum Opii	pulver	e
Hydrargyrum iodatum freshly prepared	50 c	egrs.
Opium powder	20	
Powdered liquorice	30	"
White honey, q.s. for 10 pills.		.,
and the part of th		
(19) Pilula plumbi cum Opio		
Lead acetate, in powder	80 :	grammes
Opium, in powder	12	_
Syrup of glucose	8	<b>)</b>
(or a sufficient quantity)	J	39
( a particione damme)		

The formula of this powder is given under (21) pulvis ipecacuanhal com-

## (20) Pilulae terebinthinae compositae

Opium Chinini sulfas	0.5 gramme 2 grammes	
amor liquidus	2	"
1 ' iliano lomouno	8	**
Magnesii subcarbonas, a sufficient quantity to make 100 pills.		

### (21) Pulvis ipecacuanhae compositus Syn.: Pulvis ipecacuanhae et opii (Dover's Powder)

Ipecacuanha root, in powder		10 grammes	
Onium, in powder	10	,,	
Potassium sulphate in powder	80	>>	

(22) Mixtures of Dover's Powder (see formula under (21)) with mercury and chalk, aspirin, phenacetin, quinine and its salts, and sodium bicarbonate

## (23) Pulvis kino compositus

Kino, in powder	75 gi	rammes
Opium, in powder		**
Cinnamon bark, in powder	20	**

# (24) Suppositoria plumbi composita. Syn.: Suppositoria plumbi cum opio

Lead acetate, in powder	2.4 grammes 0.8 gramme
Oil of theobroma, a sufficient quantity for 12 suppositories, each weighting about 1	
suppositories, each weighting about 1	

## (25) Coryza Tablets No. 2

Powdered opium	0.0043 gramme
Quinine sulph	0.022 ,,
Ammon. chlor	0.022 ,,
Camphor	0.022 ,,
Ext. Belladonna leaves	0.9043 "
Ext. aconite root	0.0043 ,,

## (26) Diarrhœa Tablets No. 2

Powdered opium	0.016 gr	ramme
Camphor	0.016	,,
Powdered ipecacuanha	0.008	,,
Lead acetate	0.011	,,

No. 2	(27) Descentant Toblets	
	(27) Dysentery Tablets	
· 0.016 grs.	Powdered opium	
. 0.016	: natidetell likelabaana + + + + + + + + + + + + + + + + + +	
. 0.008	handered Calumot	
. 0.011		
	Bismuth betanaphthol 0.1944 ,,	
rie	(a) The best-array our Onio	
6	(28) Tabella hydrargyri cum Opio 0.065 gramme	
0.013 grs.		
0.0648	Antimony Oxide Dowder	
0.0324 "	Inecacijanija-100t powdor	
0.0324	Downered Oblum	
0.1944		
	Gelatine solution, a sufficient quantity to	
	make 1 tablet.	
065 grs (	(29) Tabella plumbi cum Opio	
065	Sugar of lead 0.195 gramme	
65 , .	Powdered opium 0.065 ,,	
65 ,	Gelatine solution, a sufficient quantity to	
5 ,	make 1 tablet.	
	ingke i tuetes.	
	(30) Tablettae plumbi cum Opio	
	Lead acetate, in fine powder 19.44 grammes	
5 grs.	Opium, in powder	
5 ,	Refined sugar, in powder 0.48 "	
"	Ethereal solution of theobroma 3.00 miles	
	Alcohol 0.90 "	
	(31) Unguentum gallae compositum	
C	Galls in very fine powder	
4 grs.	Extract of opium	
"	Distilled water	
oillilite.	Wool fat	
manute.	Soft paraffin, yellow 50	
* * * * * * * * * * * * * * * * * * *		
	(32) Unguentum gallae compositum (see formula under (31))	
	mixed with other ointments and plasters contained in the Dixton	
C	Pharmacopæia, or British Pharmaceutical Codex	
grs.	t marmaopan, or many	
4 ,,	(33) Unguentum gallae cum Opio	
6 ,,		
**	R. Oan Unitificity and the contract of the con	
) <b>"</b>	Opium in powder 7.5 "	
graph <b>e (3</b>		
oris dans	(34) Unguentum gallae cum Opio (see formula under (33))	
	mived with other cintments and plasters contained in the Dittion	
	Pharmacopæia or British Pharmaceutical Codex	

(27) Dysentery Tablets		
owdered opium	0.013 gr	amme
Powdered opening	0.0648	"
Powdered calomel	0.0324	,,
ead acetate	0.0324	**
Bismuth betanaphthol	0.1944	,,
Bismuth detallaphthol		
(28) Tabella hydrargyri cum O	pio	
Mercurous chloride powder	0.065 g	ramme
Antimony oxide powder	0.065	,,
Ipecacuanha-root powder	0.065	33
Powdered opium	0.065	,,
Milk sugar	0.065	**
Milk sugar	• • • • • • • • • • • • • • • • • • • •	••
Gelatine solution, a summent quantity to		Trees.
make 1 tablet.		
(29) Tabella plumbi cum Op	io	
• •		gramme
Sugar of lead	00/5	
Powdered opium		"
Gelatine solution, a sufficient quantity to	)	
make 1 tablet.		
(30) Tablettae plumbi cum C		
Lead acetate, in fine powder		grammes
Onium in nowder	. 3.24	
Refined sugar, in powder	. 0.48	• • • • • • • • • • • • • • • • • • • •
Ethereal solution of theobroma	. 3.00	mils
Alcohol	. 0.90	,,
(31) Unguentum gallae compo		
Galls in very fine powder	. 20	
Extract of opium	٠ '	=
Distilled water	. 10	
Wool fat	. 10	_
Soft paraffin, yellow	50	0
; ; · · · · ·		
(32) Unguentum gallae compositum (see	formula 1	under (31))
mixed with other cintments and plasters col	ntamed m	(IIC Directors
Pharmacopæia, or British Pharmaco	eutical Co	odex
(33) Unguentum gallae cum Gall ointment Opium in powder	Opio	
Gall ointment		.5 grammes
Opium in powder		
Oplum in powder		
(34) Unguentum gallae cum Opio (see	formula	under (33)
(34) Unguentum gallae cum Opio (see	TOTHIGIA	1. 10.22

# (35) Yatren—105 (Iodooxyquinoline-sulphonic acid) with 5 per cent. opium admixture

### (b) Cocaine Preparations

### (1) Bernatzik's Injections

(a)	Hydrargyrum bicyanatrum	0.03 gramme
(4)	Cocainum	0.02 ,,
(h)	Hydrargyrum succinatum	0.03 ,,
(5)	Cocainum	0.01 ,,

### (2) Stila's Injections

(a)	Hydrargyrum succinatum	0.03 gramme
(=)	Cocainum muriaticum	0.01 ,,
(b)	Hydrargyrum succinatum	0.05 "
(-)	Cocainum muriaticum	0.03

## (3) Natrium biboracicum compositum cum Cocaino

In tablets, compressed tablets, lozenges, pastilles and the like, difficult to break up, and containing not more than 0.2 per cent. of cocaine salts in conjunction with not less than 20 per cent. borax and not less than 20 per cent. antipyrine, or some similar analgesic, and not more than 40 per cent. of flavouring matter. Maximum weight of each tablet, etc., 1 gramme.

### (4) Caustic "Nerve Pastes"

Preparations containing, in addition to cocaine salts or cocaine and morphine salts, at least 25 per cent. of arsenious acid, and made up with the requisite proportion of creosote or phenol to produce the consistency of a paste.

(5) Cocaine and Atropine Tablets, with a content of not more than 0.0003 gramme of cocaine salts and not less than 0.0003 gramme of atropine salts to each tablet

Atropinum sulphuricum	0.0003 gramme
Cocainum hydrochloricum	0.0003 ,,
Mannite	
Weight of one tablet	0.0036 gramme
Cocaine content 8.3 per cent	_

#### (c) Heroin Preparations

### (1) Elixir camphorae compositum

Camphor	4 grains
Oil of anise	5 minims
Benzoic acid	6 grain <b>s</b>
Diamorphine hydrochloride	4 ,,
Liquid extract of ipecacuanha	120 minims
Tincture of squill	1 fl. ounce
Simple syrup to 20 fl. ounces.	-

(2) Elixir diamorphinae et Terpini, with Apom	orphine
Apomorphine hydrochloride  Diamorphine hydrochloride  Ternin hydrate	5 grains 4 ,, 44 ,, 10 fl. ounces 5 ,,
(3) Linctus diamorphinae, with Ipecacuar	
Liquid extract of ipecacuanha	20 minims 4 grains 1½ fl. ounces 1½ ,, 3 ,, 1 ,,
(4) Linctus senegae compositus	
Liquid extract of senega Liquid extract of squill Tartarated antimony Diamorphine hydrochloride Glycerine Simple syrup to 20 fl. ounces.	1 fl. ounce 1 " 8 grains 4 " 2 fl. ounces
(5) Linctus thymi compositus	
Diamorphine hydrochloride	4 grains 5 ,, 1 fl. ounce 5 fl. ounces 1 fl. ounce
(d) Dicodide Preparations	
(1) Cardiazol-Dicodide Solutions	
Solutions containing not less than 10 per cent. of cardiazol and not more than 0.5 per cent. of dicodide salts.	
(e) Eucodal Preparations	
(1) Anti Opium Tablets	
Eucodal Pulvis gentianae Pulvis ipecacuanhae Quinine sulphate Caffeine Sugar of milk Mix up and make up 5-grain tablets.	1 gramme 35 grammes 20 ,, 50 ,, 5 ,, 25 ,,

(2)	Tablets	R.B.	Compound
1 /	1 401013	v,u,	COMIDORNA

Berberis vulgaris powder	0.0324 gramme
Nux vomica	0.013 ,,
Fucadal	0.0032
Ipecacuanha	0.0648 ,,
Rhuharb	0.013 ,,
Pulvis cinnamoni compositus	0.0324 ,,
Atomatic chalk	

4. The Resident Commissioners, acting jointly, may at any me vary the list of substances and materials included in Articles 2 and 3 hereof.

Variation of listed drugs.

5. Notwithstanding anything hereinbefore contained either Resident Commissioner may at the request of any duly qualified medical practitioner or pharmacist issue to him a permit in the form of Schedule "A" annexed, authorising the importation by him for medical or scientific purposes of any of the substances mentioned in Article 2 hereof, except prepared opium and the pipes and utensils mentioned in Article 2 (14). A separate permit shall be necessary for each particular substance. A duplicate of each permit shall be supplied to the importer to be sent by him to the person from whom he intends to import the substance.

Import Certificate,

6. Copies of all permits issued shall be sent to the Collector of Customs, who shall render to the Resident Commissioners at the end of every quarter a return of quantities of each of the prohibited substances imported under permit.

Control of imports.

7. Nothing in this Regulation shall apply to the sale, possession, or distribution ofConditions of sale and supply by medical and veterinary practitioners and chemists.

- (a) Any substance compounded by a qualified pharmacist, or at any hospital, as a medicine according to the prescription of a qualified medical practitioner or qualified veterinary surgeon, provided that it is supplied or sold to the person for whom it was intended;
- (b) Medicines dispensed by a qualified medical practitioner, for his patients, or by a qualified veterinary surgeon, for animals, under his treatment;
- l(c) Any of the substances or materials specified in Article 2 hereof, except prepared opium and the pipes and utensils mentioned in Article 2 (14) supplied by a Condominium Medical Officer to certain authorised persons working under the supervision of the said Medical Officer. The names of such authorised persons, after being approved by the Chief Condominium Medical Officer, shall be submitted to both Resident Commissioners for approval and registration. Such authorised persons shall record in duplicate:
  - (i) every dose of any of the substances or materials

J.R. 7 of

specified in Article 2 hereof and used under the provisions of this sub-article for medical purposes,

J.R. 7 of 1952.

- (ii) the name of the patient, and
- (iii) the condition of the patient which necessitated the use of the substance or material,

And shall forward one copy of each record to the supervising Medical Officer concerned at intervals of not more than three months.

8. It shall be lawful for any Police, Customs or Condominium redical Officer to seize and confiscate any prohibited substance or laterial or preparation containing any prohibited substance, found inder conditions contravening the provisions of this Regulation.

Seizures.

9. It shall be lawful for any Police, Customs, or Condominium Adical Officer to take cognizance of any offence under this Regulaton and to search the person of anyone suspected of concealing hereon any prohibited substance or material or any document or hing connected therewith.

Searches of the person.

10. The Resident Commissioners, acting jointly, may issue to my Police, Customs, or Condominium Medical Officer a warrant to earch any premises or place in which any prohibited substance or material or any correspondence or thing connected therewith is reasonably suspected to be.

Search warrants.

11. Any person wilfully delaying or obstructing any holder of such Warrant or concealing any substances, articles, books, or occuments, as aforesaid, shall be guilty of an offence under this regulation.

Obstruction to officers searching.

- 12. Any person who wilfully—
- (a) acts in contravention of or fails to comply with the conditions of any permit granted under this Regulation, or

(b) aids or abets or prepares the commission of or an attempt to commit an offence under this Regulation, or under any corresponding law in force in any place outside the New Hebrides,

Offence against conditions of permits.

Abetment, etc.

hall be guilty of an offence under this Regulation.

13. Offences against the provisions of this Regulation shall be unishable by a fine of £20 and imprisonment for one month.

Penalties.

14. Joint Regulation No. 1 of 1923 is hereby repealed without rejudice to anything lawfully done thereunder or to liability hereunder for any offence committed against the same.

Repeal.

15. This Regulation shall come into force on the day of the hereof and may be cited as The New Hebrides Dangerous ugs Joint Regulation No. 12 of 1939.

Date of coming into force and short title.

Dated at Vila this First day of December, 1939.

SAUTOT he Resident Commissioner for the French Republic. R. D. BLANDY
His Britannic Majesty's Acting
Resident Commissioner.

IMPORT CERTIFICATE
(Joint Regulation No. 12 of 1939, Article 5)

#### SCHEDULE "A"

80
I, the undersigned, *His Britannic Majesty's Resident Commissioner the tesident Commissioner for the French Republic in the New Hebrides, hereby attly that I have pursuant to Article 5 of the New Hebrides Dangerous Drugs oint Regulation No. 12 of 1939 approved the importation by
of.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
New Hebrides, of
rom
ubject to the following conditions.
<u></u>
and I am satisfied that the consignment proposed to be imported is required to be imported is required to be imported in the consignment proposes.
Dated at Vila in the New Hebrides this
*His Britannic Majesty's Resident Commissioner
*The Resident Commissioner for the French Republic

\*Strike out the words not applicable.